



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Interaction Recording Solution Guide

Genesys Interaction Recording 8.5.2

Genesys Interaction Recording 8.5.2

New in this Release

Release **8.5.225.01** — June 09, 2022, support for Windows Server 2019 and Red Hat Enterprise Linux 8.

Release **8.5.224.00** — June 10, 2021, contains resolved issues only.

Release **8.5.223.00** — October 19, 2020, contains resolved issues only.

Some of the primary new features added in release **8.5.222.00**—April 24, 2020:

- Genesys Interaction Recording now supports SIP Cluster in deployments that are using Voice Processor.

Important

Recording Processor Script (RPS) cannot be used with SIP Cluster.

- Interaction Recording Web Services now supports authentication with Cassandra.
- The Screen Recording Service (SRS) now supports the use of a web proxy for outbound connections.
- Elasticsearch v2 schema performance is significantly improved. For existing deployments, these improvements will become increasingly evident as older interactions are purged from the system.
- With this release, Voice Processor is now generally available and no longer under shipping control by the Genesys Product Management team. For new deployments, Genesys recommends using Voice Processor instead of Recording Processor Script (RPS). For information on how to deploy Voice Processor, see [Deploying Voice Processor](#).

Some of the primary new features added in release **8.5.221.01**—April 01, 2019:

- The scan and scroll method of Elasticsearch is now supported for MLM with Elasticsearch v2 schema. For large scale deployments, enable the scan and scroll option to improve performance of MLM.
- The default number of shards for new deployments with Elasticsearch v2 schema is 12. The existing deployments with the current number of shards are also supported.

Some of the primary new features added in release **8.5.221.00**:

- January 11, 2019, contains resolved issues only.
- December 20, 2018:
A new multi-threaded microservice, Voice Processor, is introduced. Voice Processor can be used instead of the Recording Processor Script (RPS) which is currently in use. GIR needs Voice Processor to process recording metadata from Media Control Platform (MCP), combine this metadata with data collected from Genesys Info Mart (GIM), and forward the result to Interaction Recording Web Services (RWS) and SpeechMiner Interaction Receiver (SM IR). For information on how to deploy Voice Processor, see [Deploying Voice Processor](#).

Important

Customers with an existing RPS deployment can migrate to Voice Processor using the instructions provided in the [Migrating from RPS to Voice Processor](#) section.

- November 09, 2018:
Interaction Recording Web Services (RWS) now includes new parameters for a search API used by Recording Muxer Script. Recording Muxer Script uses these parameters when receiving call recordings from RWS.

Release **8.5.220.00** —August 28, 2018, contains resolved issues only.

Release **8.5.219.02**—June 04, 2018 (initially released as 8.5.219.01 on May 17, 2018), contains resolved issues only.

Important

As part of upgrading to this release, the Cassandra schema used by Interaction Recording Web Services must be upgraded. Refer to the migration steps described in [Upgrading Interaction Recording Web Services](#) for details.

Some of the primary new features added in release **8.5.218.00**—December 15, 2017:

- Interaction Recording now has a new call recording metadata attribute to indicate if a call recording has a related screen recording available ([screenRecording](#)). In addition, if a screen recording is associated with a call recording, a new screen recording metadata attribute ([callRecordingId](#)) indicates the associated call recording. These metadata values are only populated for new recordings moving forward. All older interactions will indicate that there is no associated screen recording.
- Screen Recording Service (SRS) now uses updated versions of Python and OpenSSL.
- SRS now supports a [configurable parameter](#) to ignore errors that occur during certificate verification for

screen recording encryption.

Some of the primary new features added in release **8.5.217.00**—September 27, 2017:

- A guide to using the [Screen Recording API](#) is available in the [Genesys Interaction Recording API Reference](#). This information can be used to integrate a third-party desktop with screen recording functionality.
- The following GIR components now support [configurable certificate validation](#) when making outbound TLS connections: Interaction Recording Web Services, Recording Muxer Script, Recording Plug-in for GAX, Recording Crypto Server, and Interaction Recording LVR Recovery Script.

Some of the primary new features added in release **8.5.216.01**—July 14, 2017:

- Support for automated recovery of recordings with a new Lost Voice Recording (LVR) Recovery Script component. See [Automated Recovery of Recordings](#) for details.
- Multi-site disaster recovery support for screen recording with the Screen Recording Service (SRS) and Interaction Recording Web Services (RWS) when Workspace Desktop Edition (WDE) version 8.5.118.10 or later is used.
- Support for the new **Delete Recording by ID** API in Interaction Recording Web Services. See [Genesys Interaction Recording API](#) for details.

Some of the primary new features added in release **8.5.215.00**—June 28, 2017:

- The following GIR components now support RHEL 7: Interaction Recording Web Services, Recording Muxer Script, Recording Plug-in for GAX, and Recording Crypto Server.
- You can now manage the life cycle of voice recordings by using interaction labels. For more information, refer to [Creating a Rule](#) and [Recording Lifecycle Scheduler Parameters](#).
- The Elasticsearch templates ([call_recordingv2_template.json](#) and [screen_recordingv2_template.json](#)) have been updated. Deploy the new versions of these templates to the Elasticsearch cluster so that when an index is created, the new index template is used. Re-indexing is not required after this step.
- Interaction Recording Web Services now supports two new APIs: **Get Recording by ID** and **Get Recording Media by ID**. For more information, refer to [Genesys Interaction Recording API](#).
- Interaction Recording Web Services now supports using Java Runtime Environment (JRE) 8 as an alternative to the Java Development Kit (JDK) 1.8.
- The SFDC Gplus Adapter now supports screen recording with the SR Service.
- When you delete an interaction in SpeechMiner, its associated voice recording and screen recording files are now also deleted.

Important

As part of upgrading to this release, the Cassandra schema used by Interaction Recording Web Services must be upgraded. Refer to the migration steps described in [Upgrading Interaction Recording Web Services](#) for details.

Some of the primary new features added in release **8.5.214.03**—April 28, 2017:

- Interaction Recording Web Services (RWS) now supports MLM backup in unzipped format to both the Windows and Linux file systems. To perform unzipped backup to a Windows file system, make sure the **useFullPathInMediaFileBackup** option is set to `false`. For more information on this option, refer to the following sections: [Media Lifecycle Management Archive Structure](#), [backgroundScheduledMediaOperationsSettings](#), and [Recording Lifecycle Scheduler Parameters](#).

Some of the primary new features added in release **8.5.214.02**—March 29, 2017:

- For new installations or new tenants in existing installations the Elasticsearch schema version 2 will be used by default. For an existing installation, this support for this version requires that you perform the migration steps described in the [Migrating an Existing Elasticsearch Deployment to Schema V2](#) section as part of upgrading to this release.
- GIR now supports the ability to tag interactions, and to protect them from being deleted, through SpeechMiner. You can also create and apply tags using the labels API, and protect recordings from deletion using the non-delete API. See [Recording Label API](#) and [Recording Non-Deletion API](#).

Important

To use the new SpeechMiner functionality the following configuration is required:

- If you are using tagging or deletion protection, Cross Site Request Forgery (CSRF) protection must be disabled in RWS. For details, refer to [CSRF Protection](#).
- The **RWS URI** field in the **SMConfig > Recording** tab must be configured. For details, refer to [Deploying SpeechMiner for GIR](#).
- The **Interaction Receiver** settings must be configured in RWS. For details, refer to [Create SpeechMiner Settings](#).
- The SpeechMiner username and password must be configured in **[recording.archive]** for each tenant. For details, refer to [Step 5](#) of [Configuring SpeechMiner users](#).

- The Recording Lifecycle Scheduler (in Media Lifecycle Management) now supports storing backup (archive) files in unzipped format and zipped format. See the setting [in the RLS dialog box on this page](#) and a description [on this page](#).

- Genesys Interaction Recording now supports remote recording of established calls, using the recording capabilities of SIP Server version 8.1.102.55 or later with T-Server for Skype for Business version 8.5.001.17 or later.

Some of the primary new features added in release **8.5.213.04**—December 20, 2016:

- The Recording Muxer Script and Recording Processor Script now support passing password-related configuration values using environment variables, on both Windows and Linux.
- Support for registering multiple DNs with the Screen Recording Service, with desktops, via the [SRS login API](#).
Note: Required: the agent desktop must support using multiple DNs and Hot Seating with the Screen Recording Service. For additional information, refer to your Agent Desktop documentation.
- Support for Cassandra 2.2. Support continues for Cassandra 1.2, but Genesys recommends version 2.2. See [Deploying Cassandra 2.x](#).
- Support for [Setting up the Load Balancer in a Premise Multi-tenant Environment](#).

Some of the primary new features added in release **8.5.212.03**—September 27, 2016:

- Configuration support for Disposition Codes in GIR metadata filters.
- Support for a Premise Load Balancing mechanism for dedicated GIR nodes.
- Support for the following components running in the same environment:
 - Web Services and Applications
 - Interaction Recording Web Services (RWS)
- Java 8 support for Recording Plug-in for GAX and Recording Crypto Server (RCS).
- Support for Hot Seating for the SR Service with desktops via the SRS login API. **Note:** This support requires that the agent desktop supports Hot Seating with the Screen Recording Service. For additional information, refer to your Agent Desktop documentation.
- Support for Play application level Interactive Voice Response (IVR) recording.
- Support for Horizontal Scaling of the Recording Muxer Script.
- The Recording Muxer Script now supports the SR Service Nightly Upload.
- Ad hoc download of encrypted media assets.

Some of the primary new features added in release **8.5.212.02**—August 15, 2016:

- The **Encrypt Exported Interactions** feature enables you to encrypt exported interactions, so that a password is required to access the interactions. By default, exported interactions are now encrypted after upgrading SpeechMiner to 8.5.504.02.

Some of the primary new features added in release **8.5.212.01**—July 11, 2016:

- The `slowMachine` parameter is now deprecated, and is replaced by the new `vlcCloseTimeout` parameter.
- The SR Service will now retry to upload all failed recordings after the next restart.
- Support for SRS on VMware Horizon 7 using the RDP protocol.

Some of the primary new features added in release **8.5.211.01**—June 29, 2016:

- Support for a multi-tenant configuration server for GIR Screen Recording.
- Support for a multi-tenant configuration server for multi-tenant objects.
- Support for partitions per interaction segment.
- Interaction Recording Web Services replaces the Web Services and Applications prerequisites for the Genesys Interaction Recording solution. It includes all Interaction Recording related Web Services features that are available in Web Services and Applications releases up to 8.5.201.29—for example, storing and managing recording files. It does not provide API support for non-GIR related Web Services, such as Workspace Web Edition.
- Interaction Recording Web Services includes a new option (**sessionCookieName**). This new option can be used to define the name of the session cookie used by Interaction Recording Web Services.

Some of the primary new features added in release **8.5.210.02**—April 19, 2016:

- Support for metadata suppression for privacy and compliance.

Some of the primary new features added in release **8.5.210.01**—April 1, 2016:

- Windows Server 2012 support for Screen Recording (SR) Service Citrix.
- Muxer can now rely on the Query Call Recording API to only return call recordings that match the searching criteria specified by the new configuration `call_recording_extra_query_string`.
- Support for Voice Recording reports.
- Support for enabling the user to view SR Service error messages.
- Support for filtering metadata fields from ICON.
- Support for a new SR Service report that summarizes all the Screen Recording client connections.
- ADDP support for the configuration server in the Recording Crypto Server (RCS).
- Documentation of the Recording Processor Script (RPS) error logs and actions.

- Sizing Tool update that now includes numbers for decryption of media through HTCC.
- The SR Service installation package is now signed.

Some of the primary new features added in release **8.5.209.01**—February 1, 2016:

- Citrix is now supported on Windows 2008 R2 for Screen Recording Service.
- Support for Screen Recording Service on Windows 10 (32-bit + 64-bit).
- Support for Screen Recording Service Windows 8 / 8.1 32-bit.
- Recording Processor Script now supports Red Hat 7.

Some of the primary new features added in release **8.5.208.01**—December 18, 2015:

- Information about minimum recommended versions was added to the GIR Solution Guide.
- API documentation about recording search and playback is now published.

Some of the primary new features added in release **8.5.207.01**—October 2, 2015:

- Support for Screen Recording Service on Windows 7 and Windows 8.
- Support for **8 kbit/s mp3 compression** for mono voice recording.
- Ability to filter on user data when scheduling purge and backup tasks.
- Ability to **audit** Media Lifecycle Management.
- Ability to **decrypt** media files.
- Ability to **capture** the entire audio of a call.

Some of the primary new features added in release **8.5.206.01**—June 30, 2015:

- Ability to filter on call type when scheduling purge and backup tasks.

Some of the primary new features added in release **8.5.205.01**—April 15, 2015:

- Support for **backing up and purging** recording files.
- Support for a single **ICON Database** configured to service multiple sites.

- Support for **screen recording client** for Workspace Desktop Edition.
- Enhanced SpeechMiner player.

Some of the primary new features added in release **8.5.204.01**—January 16, 2015:

- Support for screen recording when in **After Call Work** state.
- Support for screen recording client **authentication** for Workspace Web Edition.
- Support for MP3 files that use 16 kbit/s for bitrate compression.
- Support for dual monitor screen recording.

Some of the primary new features added in release **8.5.203.01**—November 3, 2014:

- Support for screen recording encryption.
- Support for percentage based screen recording for voice agents.
- Support for Windows 2012 (except for Web Services).
- Support for Oracle ICON databases.
- Ability to display the number of recorded segments within multi-segmented interactions.
- Ability to display the Business Terminology in SpeechMiner's Metadata Manager.
- Support for Screen Recording Client authentication with the **Screen Recording API**.

Some of the primary new features added in release **8.5.200.01**—September 18, 2014:

- Support for **screen recording**.
- Support for **multiple screen recording storage** locations within a single tenant environment.