



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Composer Help

Query Tasks Block

Query Tasks Block

Contents

- [1 Query Tasks Block](#)
 - [1.1 Name Property](#)
 - [1.2 Block Notes Property](#)
 - [1.3 Extensions Property](#)
 - [1.4 Exceptions Property](#)
 - [1.5 Task Data](#)
 - [1.6 Variables Mapping Property](#)
 - [1.7 Service ID Property](#)
 - [1.8 State ID Property](#)
 - [1.9 Task Status Property](#)
 - [1.10 Task Type Property](#)
 - [1.11 Condition Property](#)
 - [1.12 Logging Details Property](#)
 - [1.13 Log Level Property](#)
 - [1.14 Enable Status Property](#)

Use this block to query the Universal Contact Server Database used for [Context Services](#) for active and completed [tasks](#) within a [state](#) for a specified [service](#).

The Query Tasks block has the following properties. The behavior of some properties will vary depending on whether you are in [offline or online mode](#).

Name Property

Find this property's details under [Common Properties for Callflow Blocks](#) or [Common Properties for Workflow Blocks](#).

Block Notes Property

Find this property's details under [Common Properties for Callflow Blocks](#) or [Common Properties for Workflow Blocks](#).

Extensions Property

Find this property's details under [Common Properties Context Services](#).

Exceptions Property

Find this property's details under [Common Properties for Callflow Blocks](#) or [Common Properties for Workflow Blocks](#). You can also define [custom events](#).

Task Data

Click the down arrow and select a variable to hold the output data for matching tasks.

Variables Mapping Property

Find this property's details under [Common Properties Context Services](#).

Service ID Property



Find this property's details under [Common Properties Context Services](#).

State ID Property

Click the down arrow under Value and select a variable that contains the ID of the newly entered/created state.



Task Status Property

This property controls whether Active, Completed, or All tasks are returned.

1. Click under Value to display the  button.
2. Click the  button to open the Task Status dialog box.
3. Opposite **Type**, you can:
 - Select **Variable** and select a variable that contains the name of the method to call.
 - Select **Literal** and select one of the following: **Completed**, **Active**, or **All**

Task Type Property

Use this property to filter for specific task types.

1. Click under Value to display the  button.
2. Click the  button to open the Task Types dialog box.
3. Click **Add** to open the Add dialog box.
4. Opposite Type, click the down arrow and select one of the following:
 - **Context Services**. Select a Task Type identifier for Value. If Context Services attributes have been mapped to Configuration Server Business Attributes, you can select a Task Types DB ID. If no Business Attribute is mapped in the UCS configuration, then UCS accepts any integer value which could represent a task type defined in an external client-specific database.
 - **Literal**. Then enter a pre-configured task type from the Configuration Database.
 - **Variable**. Then select the variable that contains the task type.

Condition Property

Find this property's details under [Common Properties](#).

Logging Details Property

Find this property's details under [Common Properties](#).

Log Level Property

Find this property's details under [Common Properties](#).

Enable Status Property

Find this property's details under [Common Properties](#).