



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Composer Help

Wait Event Block

Wait Event Block

Contents

- [1 Wait Event Block](#)
 - [1.1 Name Property](#)
 - [1.2 Block Notes Property](#)
 - [1.3 Event Property](#)
 - [1.4 Transitions Property](#)
 - [1.5 Condition Property](#)
 - [1.6 Logging Details Property](#)
 - [1.7 Log Level Property](#)
 - [1.8 Enable Status Property](#)
 - [1.9 Timeout Property](#)
 - [1.10 Unit Property](#)

Use to have ORS transition out when one of the defined events is received and the associated condition is true. The Wait block has the following properties:

Name Property

Find this property's details under [Common Properties](#).

Block Notes Property



Find this property's details under [Common Properties](#).

Event Property

Select the variable that contains the data associated with the event that makes ORS transition out.

Transitions Property

Use this property to define the events/condition pairs that makes ORS transition out. ORS does not need all the events in the list to occur in order to transition out, but only one of them. The condition is optional. If not set, it behaves as if condition was true (ORS transitions out of the block). To specify events/condition pairs:

1. Click the **Transitions** row in the block's property table.
2. Click the  button to open the Configure Transitions dialog box.
3. Click **Add** to add an entry.
4. Enter the Event.
5. Click under **Conditions**.
6. Click the  button to use [Expression Builder](#) to define the conditions.

Condition Property

Find this property's details under [Common Properties](#).

Logging Details Property

Find this property's details under [Common Properties](#).

Log Level Property

Find this property's details under [Common Properties](#).

Enable Status Property

Find this property's details under [Common Properties](#).

Timeout Property

Select the variable that contains the timeout value.

Unit Property

Select the unit of measure for the timeout.