

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Composer Help

CTI Scenarios

CTI Scenarios

There are feature differences between the SIPS and CTIC scenarios. The following table gives a summary of the CTI blocks, and for each CTI block it lists the differences in behavior for the two CTI scenarios.

CTI Block Name	Supports CTIC Case?	Supports SIPS Case?	Comments
Interaction Data	Yes	Yes	Supported operations in each scenario: CTIC: PUT GET DELETE DELETEALL REPLACE SIPS: PUT GET Types of interaction data supported: CTIC: USERDATA SIPS: USERDATA
Get access number	Yes	No	Get access number block can only be used in the CTIC scenario. Types of interaction data supported: CTIC: USERDATA EXTENSIONDATA
Statistics	Yes	No	Statistics block can only be used in the CTIC scenario.
Route Request	Yes	Yes	Types of interaction data supported: CTIC:

Composer Help 2

 USERDATA EXTENSIONDATA SIPS: USERDATA Types of transfers supported: CTIC: Blind Bridge
BridgeSIPS:ConsultationBlindbridge

In case a CTI block or feature is used in a CTI scenario in which it is not supported, appropriate exceptions will be thrown at runtime indicating that the feature is not supported. The table below gives a list of all exceptions that can be thrown by CTI blocks and other possible CTI-related exceptions that can be thrown if errors are encountered at runtime.

Block(s)	Exception	Error Message	Description
Interaction Data Get access number Statistics	error.com.genesyslab.com	Missing <block name=""> nposer invalidatev key <key name=""></key></block>	This is the event error for handling an invalid key name.
Interaction Data Get access number Statistics Route Request	error.com.genesyslab.com	n p o per.atjie nattii oret dnoed.ou t	This exception will be thrown when a <receive> operation, executed in the context of a CTIC specific operation, times out.</receive>
Interaction Data Get access number Statistics Route Request	error.com.genesyslab.com	<error returned<br="" string="">poser receiveerror by CTIC></error>	If the <receive> fails and an error is reported by CTIC, this exception will be thrown.</receive>
Interaction Data	error.com.genesyslab.com	Delete operation not passepartedpiparaed of CTI using SIPServer.	If the user wants to do a userdata DELETE in the CTI using SIPS scenario.
Interaction Data	error.com.genesyslab.com	DeleteAll operation not passepartedpooraed of CTI using SIPServer.	If the user wants to do a userdata DELETEALL in the CTI using SIPS scenario.
Interaction Data	error.com.genesyslab.com	Replace operation not passepointedpiparaed of CTI using SIPServer.	If the user wants to do a userdata REPLACE in the CTI using SIPS scenario.

Composer Help 3

Get access number	error.com.genesyslab.com	AccessNumGet operation not supported poser unsupported in case of CTI using SIPServer.	If the user wants to do a AccessNumGet in the CTI using SIPS scenario.
Statistics	error.com.genesyslab.com	Statistics block not npaspepointedpiporated of CTI using SIPServer.	If the user wants to do a PeekStatReq or GetStatReq in the CTI using SIPS scenario.
Route Request	error.com.genesyslab.com	Consultation transfer is nowsesuppopted techniques of CTI using CTIConnector.	If user sets Transfer type to consultation in case of CTI using SIPS.

Composer Help 4