



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

## Composer Help

End Parallel Block

---

## Contents

- 1 End Parallel Block
  - 1.1 Name Property
  - 1.2 Block Notes Property
  - 1.3 Condition Property
  - 1.4 Logging Details Property
  - 1.5 Log Level Property
  - 1.6 Enable Status Property
  - 1.7 ORS Extensions Property

## End Parallel Block

This block works with the [Begin Parallel Block](#) to enable the design of multiple threads. Use the End Parallel block to mark the end of the threads that were started by a matching Begin Parallel block.

### Name Property

Find this property's details under [Common Properties](#).

### Block Notes Property

Find this property's details under [Common Properties](#).

### Condition Property

Find this property's details under [Common Properties](#).

### Logging Details Property

Find this property's details under [Common Properties](#).

### Log Level Property

Find this property's details under [Common Properties](#).

### Enable Status Property

Find this property's details under [Common Properties](#).

## ORS Extensions Property

Starting with 8.1.4, Composer blocks used to build routing applications (with the exception of the Disconnect and EndParallel blocks) add a new **ORS Extensions** property.