



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Composer Help

[Play Sound Block](#)

Play Sound Block

Contents

- **1 Play Sound Block**
 - 1.1 Name Property
 - 1.2 Block Notes Property
 - 1.3 Exceptions Property
 - 1.4 Condition Property
 - 1.5 Logging Details Property
 - 1.6 Log Level Property
 - 1.7 Enable Status Property
 - 1.8 Device ID Property
 - 1.9 Hints Property
 - 1.10 Interaction ID Property
 - 1.11 Extensions Property
 - 1.12 Duration Property
 - 1.13 Music Repeat Count
 - 1.14 Resource Property
 - 1.15 Sound Type Property
 - 1.16 ORS Extensions Property
 - 1.17 Single Session Treatments

Use to play audio resources of the following types:

- Music
- BusyTone
- FastBusyTone
- RingBack
- RecordedAnnouncement (on Stream Manager)
- Silence
- ARM

The Play Sound block has the following properties:

Name Property

Find this property's details under [Common Properties](#).

Block Notes Property

Find this property's details under [Common Properties](#).

Exceptions Property

Find this property's details under [Common Properties](#).

Condition Property

Find this property's details under [Common Properties](#).

Logging Details Property

Find this property's details under [Common Properties](#).

Log Level Property

Find this property's details under [Common Properties](#).

Enable Status Property

Find this property's details under [Common Properties](#).

Device ID Property

If specified, ORS will play treatments itself; otherwise, treatment playing is delegated to URS. The device should specify the DN where the call is currently located. If the call is on multiple DNs, specify the DN for which the treatment will be applied. Users can enter a value or select any runtime variable from the dropdown.

Hints Property

This property is for future use by Orchestration Server. Its use will be described in various action elements reference in the Orchestration Server wiki.

Interaction ID Property

Set to a meaningful value or keep the default value, which is the system variable InteractionId. Can be used for "interaction-less" processing for scenarios where the InteractionId variable is not automatically initialized, but instead must wait for an event. An example would be an SCXML application triggered by a Web Service that does not add an interaction. Background: Previous to 8.1.1, Composer did not expose an Interaction ID property. Instead, when ORS started processing an interaction, a generated SCXML application automatically initialized the system variable, InteractionId. This variable was then used internally by Routing and certain eServices blocks when interacting with ORS. With the introduction of support for Interaction-less processing, you can now define a specific event ([Event property](#)) to initialize InteractionId, or not define an event at all. For scenarios with an interaction (IPD Diagram/Events=interaction.present for example), you may keep the default value for the Interaction ID property. The default value is the system variable InteractionId, which is initialized automatically in this case. For other scenarios (any scenario where the system variable InteractionId is not set), you may choose to:

1. Not use blocks that require an Interaction ID
2. And/or set the Interaction ID property to a meaningful value
3. And/or assign a meaningful value to the InteractionId system variable

Find this property's details under [Common Properties](#).

Extensions Property

Select the variable to retrieve extensions data in event `dialog.playsound.done` as described in the *Orchestration Developers Guide*, Orchestration Extensions, Dialog Log Interface section of the [Orchestration Server Wiki](#).

Duration Property

The time, in seconds, that the treatment is applied.

Music Repeat Count

Use this property to specify the number of times an audio file is to be played. If no repetition is specified, the audio file continuously loops. To specify this behavior, the default is set to -1.

Important

If the ARM sound type is chosen and both **Duration** and **Music Repeat Count** are specified, **Duration** takes precedence over **Music Repeat Count**.

Resource Property

Specify the location of the sound resource. Testing will be done against Genesys Stream Manager, a media server that generates and processes media streams in Real-time Transport Protocol (RTP) format. For more information on Stream Manager, start with the *Framework 7.6 Stream Manager Deployment Guide*. You will need to configure [special DNs](#) for these treatments in Configuration Server.

Sound Type Property

Identifies the type of sound.

1. Click under **Value** to display a down arrow.
2. Select one of the following types:
 - **Music**
 - **BusyTone**

- **FastBusyTone**
- **Ringback**
- **Recorded Announcement**
- **Silence**
- **ARM**

ORS Extensions Property

Starting with 8.1.4, Composer blocks used to build routing applications (with the exception of the Disconnect and EndParallel blocks) add a new **ORS Extensions** property.

Single Session Treatments

When using the Play Application, Play Sound (Music and ARM Types) Exit, and Disconnect blocks, voice applications can now optionally use a single VXML session on Media Control Platform to play/run multiple treatments instead of using one session per treatment. This enables DTMF buffering between multiple MSML treatments. For more information, see [Single Session Treatments](#).