



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Composer Help

SCXML File Preferences

Contents

- 1 SCXML File Preferences
 - 1.1 SCXML Templates
 - 1.2 Source
 - 1.3 Syntax Coloring

SCXML File Preferences

To set SCXML file preferences:

1. Select **Window > Preferences > Composer > SCXML Files**.
2. Select the suffix that Composer should add to SCXML files. The default is scxml.
3. Select the encoding for the file. The encoding attribute in an SCXML document specifies the encoding scheme. The encoding scheme is the standard character set of a language. The SCXML processor uses this encoding information to know how to work with the data contained in the SCXML document. UTF-8 is the standard character set used to create pages written in English. Select from the following:
 - ISO 10646/Unicode(UTF-16LE) Little Endian
 - US ASCII
 - ISO Latin-1
 - Central/East European (Slavic)
 - Southern European
 - Arabic, Logical
 - Arabic
 - Chinese, National Standard
 - Traditional Chinese, Big5
 - Cyrillic, ISO-8859-4
 - Cyrillic, ISO-8859-5
 - Greek
 - Hebrew, Visual
 - Hebrew
 - Japanese, EUC-JP
 - Japanese, ISO 2022
 - Japanese, Shift-JIS
 - Japanese, Windows-31J
 - Korean, EUC-KR
 - Korean, ISO 2022
 - Thai, TISI
 - Turkish
4. Check the box to warn if no grammar is specified when validating SCXML files (not selected by default).
5. Click **SCXML Templates**.

SCXML Templates

Composer provides a set of predefined templates when writing SCXML code to create routing strategies. You can either start off from scratch in the SCXML editor or use one of the available templates as a starting point. Use this preference to create, edit, or remove templates as well as to import and export templates.

1. Select **Window > Preferences > Composer > SCXML Templates**.
2. In the resulting Templates dialog box, do one of the following:
 - To create a new template click **New...** The New Template dialog box opens for naming and describing the new template.
 - To edit an existing template, select its row and then click **Edit...**The Edit Template dialog box opens for editing.
 - To remove a template, select its row and click **Remove**. If you change your mind, click **Restore Removed**,
 - To import a template, click the **Import...** button, navigate to the folder containing the SCXML file, select the file, and click **Open**.
 - To export one or more templates, select the row(s) and click the **Export...** button. In the Export Templates window, click the target location and click **Save**.
 - If you change your mind after editing a predefined template, click **Restore Defaults**.
3. Click **Source**.

Source

Source preferences are based on the [XML Editor preferences](#). See that topic for more information.

Syntax Coloring

Syntax coloring preferences are based on the [XML Editor preferences](#). See that topic for more information.