



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

## Composer Help

[Set Call Data Block](#)

# Set Call Data Block

## Contents

- **1 Set Call Data Block**
  - 1.1 Name Property
  - 1.2 Block Notes Property
  - 1.3 Variables Property
  - 1.4 Condition Property
  - 1.5 Logging Details Property
  - 1.6 Log Level Property
  - 1.7 Enable Status Property

The Set Call Data block allows the application to report custom data for the call. You can select the list of variables to be reported. The name of the variable is used as the CustomData key. If eight keys are provided, the Reporting server will reject the data for any new keys received after that.

The Set Call Data block has no page exceptions.

The Set Call Data block has the following properties:

### Name Property

Find this property's details under [Common Properties](#).

### Block Notes Property

Can be used for both callflow and workflow blocks to add comments.

### Variables Property

Use the Variables property to create custom variables. Variable content appears on GVP Voice Application reports (the VAR CDR Details Report). For more information, refer to the **Per-Call IVR Actions Report** section on page 367 in the *GVP 8.1 User Guide*. To create custom variables:

1. Click the **Variables** row in the block's property table.
2. Click under **Value** to add an entry to define application variables.
3. In the **Application Variables** dialog box, click **Add**.
4. In the **Variable Name** field, accept the default name or change it.
5. In the **Value** field, select a variable from the drop-down list.
6. In the **Description** field, type a description for this variable.
7. Click **Add** again to enter another parameter, or click **OK** to finish.

### Delete Button

To delete a custom variable:

1. Select an entry from the list.
2. Click **Delete**.

**Note:** In version 8.1.300.xx, ignore the **Restore System Variables Default Values** button.

## Condition Property

Find this property's details under [Common Properties for Callflow Blocks](#) or [Common Properties for Workflow Blocks](#).

## Logging Details Property

Find this property's details under [Common Properties for Callflow Blocks](#) or [Common Properties for Workflow Blocks](#).

## Log Level Property

Find this property's details under [Common Properties for Callflow Blocks](#) or [Common Properties for Workflow Blocks](#).

## Enable Status Property

Find this property's details under [Common Properties for Callflow Blocks](#) or [Common Properties for Workflow Blocks](#).