



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

eServices Field Codes Reference Manual

Miscellaneous Functions

12/17/2025

Contents

- 1 Miscellaneous Functions
 - 1.1 If
 - 1.2 IsBoolean
 - 1.3 IsDateTime
 - 1.4 IsNumber
 - 1.5 IsString
 - 1.6 Type

Miscellaneous Functions

The eServices Field Codes include the following miscellaneous functions:

If

[+] If

Description

Returns either the second or the third argument, depending on the value of the first (Boolean) argument.

Syntax

If (*Boolean, TrueResult, FalseResult*)

IsBoolean

[+] IsBoolean

Description

Returns True if the data type of the argument is Boolean; otherwise, it returns False.

Syntax

IsBoolean (*Arg*)

IsDateTime

[+] IsDateTime

Description

Returns True if the data type of the argument is Date/Time, and False otherwise.

Syntax

IsDateTime (*Arg*)

IsNumber

[+] IsNumber

Description

Returns True if the data type of the argument is number, and False otherwise.

Syntax

IsNumber (*Arg*)

IsString

[+] IsString

Description

Returns True if the data type of the argument is string, and False otherwise.

Syntax

IsString (*Arg*)

Type

[+] Type

Description

Returns the type name (String, Boolean, and so on) of its argument.

Syntax

Type (*Arg*)