

GENESYS[®]

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Knowledge Management User Guide

Procedure: Adding e-mails to a category on the Main tab

5/13/2025

Contents

- 1 Procedure: Adding e-mails to a category on the Main tab
 - 1.1 Prerequisites
 - 1.2 Procedure

Procedure: Adding e-mails to a category on the Main tab

This procedure uses the TO Data Analyzer to search for uncategorized e-mails that are a likely fit for a selected category.

Prerequisites

For uncategorized e-mails to be available to the TO Data Analyzer, they must be associated with the root category of the category tree in the training object. You perform this association in either of the following ways:

- When you create the training object, select the Add uncategorized messages for manual clustering check box as described in Step 6 of Procedure: Creating a new training object.
- In an existing training object, you can move all e-mails to the root category (before you do this it is advisable to make a backup copy of the training object):
 - a. On the left-hand pane, select the root Training Objects node to give the two-pane view.
 - b. On the right-hand pane, right-click a training object and select Move All Mails to Root Category, as shown in "Move All E-Mails to the Root Category."

👖 Knowledge Manager-Conte	of Analyzer: FonligServer Host Lech	pulsel; Port	2010; Application DavidsKN	4_76
File Edit View Taols Help				
	ի 🗾 TechPub	is75	T	
Training Objects	Training Objects			
🚉 Tranny Orgense	Training Object Name		CreationTime	
🔂 LanguageDetection	LanguageDetection	L	0/28/05	
	TODAbast	5	/16(05	
	TODAtest_CONFD617D6143038	5	/16/05	
	≥g (rai (tb)2.0/	New Training C	bject	
		Delete		
		Rename		
		Add Standard	Responses	
		Add Training C	bject	
		Move part of 1	fraining Object	
		treve Al Kab	the for strengthy	
		Create filtered	copy of Training Object	

Move All E-Mails to the Root Category

Procedure

1. On the Training tab, select a training object.

- 2. On the middle pane, select a category that you want to add e-mails to.
- 3. On the rightmost pane, select the e-mails already assigned to this category.
- 4. Still on the rightmost pane, right-click and select TO Data Analyzer, as shown in "Start the Training Object Data Analyzer."



Start the Training Object Data Analyzer

5. The Uncategorized Message Clustering dialog box appears with its Main tab showing, as shown in Uncategorized Message Clustering."

눱 🐰 🖻 🔳 🗙	🗊 😩 English	T Res	ources	-
Training Objects	Training Object: Bobs01			
🔁 Training Objects	Category Tree	Category classical: 3	3 mails / 3 mails (subcateg	arias include
- 🔂 Chix 🖆	🖨 Bobe_Booke_July	Subject	Received Date	A
🗆 🗠 🔂 trainOlaj27 April	🛛 🔁 🗁 books	cottrover	325/.43.51%	denaut
1	CDOKBY	ipht elbetice	3/25/24/3 (5/104	denaut
1	fiction	tonoprito	3/25/24 3 16 191	denaut
1	periodicels			
	seir-heip			
1				
			New Mail	
			Capy	
	world		Cut	
			Paste	
			TO Para Audyze	
			Edit Mai	
		Subject: bæthoven	Delete	

Uncategorized Message Clustering

Note that the e-mails that you selected in Step 3 appear in the Similar messages list. These e-mails are now part of the criteria that TO Data Analyzer uses to choose e-mails to display.

- 6. Click Find. The system displays a candidate e-mail as shown in "Message Clustering: First Candidate":
 - The Candidate messages box shows information about the e-mail. The N is number, relevant only

for the Find multiple command, described below.

- The Subject box shows the subject of the e-mail.
- The Message box shows the e-mail body.

• • •	$1 \leq l_{2} \leq -1$	n ta I	search of the de	1.00				
Sinder o	nacago Id							
Neares	gan naincind for an	lagory:			Candidate mas	alegea:		
	N	Subject	Received Date	Agent	N	Subject	Received Del	n Agent
1	kjit (ezece	Aug. 28, 2008	dete at			•	
P			Aug 28, 2006	irin.it				
1	0000	TTO .	Aug 28, 2008	jisieut:				
	Save in categ	ογ	Clear selecte	d meesages	Add	Distard	lgnare	Delete permanently
Eubject	:							
ayaptu	mies							4
Ness	F :							
Sir, Do yn Sinter Fonti	a perny empilo n cely, nis Comperin	eoradinge o	E li g ti alareiat	• md motete, gi	nyed by carbesteas,	, and shaades case	adules for the fi	soerning listener)
	Find		Rod multiple	Cano	al eaerch feadback	Restart as:	aich	Bt
LANK B	and state interd	1 1						

Message Clustering: First Candidate

As an alternative to Find, click Find multiple. The system displays the 15 e-mails that are the best candidates for the category, as shown in "Message Clustering: Multiple Candidates."

1.01 in conclusion	tere enter	second data a	0				
ni rossojos ki							
eseges selecte	d for category:			Candidate mass	eges:		
н	Subject	Received Date	Agent	N	Subject	Received Date	Agent
	light disession	Aug 28, 2008	defeat	1	nur dar mysterize	Mar 25, 2004	defet
	basthovan	Aug 28, 2005	derivati				
	omostae	Aug 29, 2009	detext	8	naw yakar	Mar 81,2004	defet
				4	randing group	Mar 28, 2004	derieu.it
				6	wysizny quary	May 2,2006	defeat
				8	Ha	Mar 31,2004	datast
				7	traudian psychology	Mar 23, 2004	deries.
				8	trouf a towards real	Mar 25, 2004	defeat
				2	your business	Apr 3, 2004	derinat
				10	laadk amier	Mar 25, 2004	defeut
				11	recipes for duration	Her 25, 2004	derina.it
				12	alios watere	Mar 26,2004	defeat
				13	inter cetting	Mar 28, 2004	daria.dt
				ha i	jauch tupicar	May 6,2006	(define)
inst							Cure paintain
st african h saga	ighlife						
i fela Enti i ank you, si	are pool asses.			-		-	-

Message Clustering: Multiple Candidates

- Use the buttons at the bottom of the dialog to select one of the following actions for this candidate (or candidates, if you clicked Find multiple and then used SHIFT-click or CTL-click to select multiple candidates):
 - Add—Add to the selected category and adjust the search accordingly (see Search Criteria Tab for more explanation).
 - Discard—Omit from the selected category and adjust the search accordingly.
 - Ignore—Omit from the selected category but do not adjust the search.
 - Delete permanently—Remove from the training object permanently. This e-mail will not appear again.

anywhere in the training object. With Discard and Ignore, in contrast, the e-mail is no longer considered in the current search for the selected category, but it remains in the training object.
--

- 8. Click Find again, and the next candidate e-mail displays in the Subject and Message boxes. Decide whether to add, discard, or ignore this e-mail.
- 9. Continue in the same way, repeating Step 8. Knowledge Manager continues to display e-mails in the order determined by the criteria that you have set. When there are no more uncategorized e-mails, {

Mail not found } displays in the Message box.

10. When you are done adding e-mails to the Similar messages list, click one of the following:

Save in category—This adds the e-mails to a category, as explained in the next step. Clear selected messages—This clears all e-mails from the Similar messages list. You can start again by clicking Find.

11. If you click Save in category, the Choose category dialog box appears, as shown in "Choose Category Dialog Box."



Choose Category Dialog Box

The Choose category dialog box displays the category tree that you are working with. If you selected a category in Step 2 above, that category is selected in this dialog box, but you can select another category (but not the root category). You can also click Create new category to add a new category which becomes a subcategory of the category selected in the Choose category dialog box. Click OK to add the e-mails in the Similar messages list to the selected category.

Next Steps

- Optionally, use the Search Criteria tab to specify the order that Knowledge Manager shows you the uncategorized e-mails (this page).
- Study the example of using the TO Data Analyzer.