



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

eServices Multitenancy and Load Balancing Guide

Deploying a High-Availability Chat Solution

Deploying a High-Availability Chat Solution

Configuring

Configure as follows:

1. Configure Primary and Backup Chat Server instances. Specify Warm Standby mode for the backup instance.
2. Connect Web API Server to the Primary Chat Server only. Web API Server reads the information about the backup Chat Server automatically.
3. Connect Interaction Server to the Primary Chat Server only.
4. Set the following values for options in the settings section for both Chat Server applications:
 - `session-restoration-mode = simple`
This enables Chat Server's session restoration functionality.
 - `transcript-auto-save = 1`
This makes Chat Server update the transcript in UCS after each submitted message. You may also set this option to 2 (notify clients when the transcript is updated), however that would be effective only if the agent desktop can process special notifications from Chat Server (in particular, the notice `ucs-save-fail/save`). From the standpoint of resources, using the value 2 will slightly increase CPU usage; also Genesys Interaction Workspace does not currently support this functionality.
 - `transcript-save-on-error = close`
This makes Chat Server close the chat session (without a final update in UCS) if, during the session, UCS sends a non-recoverable error message in response to one of Chat Server's periodic transcript updates.
5. Review the values for the following options (see [eServices 8.1 Reference Manual](#) for full descriptions):
 - `transcript-resend-attempts`
 - `transcript-resend-delay`
 - `transcript-save-on-error`
 - `transcript-save-notices`

The default values are acceptable for HA functionality; however you may wish to evaluate whether those values produce the behavior that you expect.

Testing

A properly configured solution with HA mode must work without any additional configuration for other components. This section describes a simple test.

Requirements:

- The Chat HA sample included in Web API Server

- Interaction Workspace (agent desktop)
- A primary/backup pair of Chat Servers

Conduct the test as follows:

1. Start a chat session using the Chat HA web sample.
2. Send a message to verify that the chat session is active.
3. Then do either of the following:
 - Kill the primary Chat Server process, using Task Manager on Windows or `kill -9` on UNIX (if you then restart Chat Server it should start in backup mode).
 - Switch the primary Chat Server over from primary to backup using SCI.
4. Send a message to verify that the web sample is continuing the chat session. You will see messages showing that a user was disconnected and connected again. It is up to chat web application and/or agent desktop to decide if to show these messages.
5. Optionally, examine the Chat Server logs to see what actions were performed by the server to restore the chat session.