



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Chat Server Administration Guide

Initialization Cassandra scripts for Chat Server

6/9/2026

Contents

- 1 Initialization Cassandra scripts for Chat Server
 - 1.1 Create keyspace
 - 1.2 Create tables without a cleanup procedure
 - 1.3 Create tables with a cleanup procedure

Initialization Cassandra scripts for Chat Server

Note: The content of this page is only applicable for version 8.5.104 of Chat Server. For later versions, starting with 8.5.105, initialization scripts are included in the installation package in the subfolder *cassandra*.

Create keyspace

```
CREATE KEYSPACE genesys_chat_server
WITH REPLICATION = { 'class' : 'SimpleStrategy', 'replication_factor' : 1 };

USE genesys_chat_server;
```

Create tables without a cleanup procedure

```
CREATE TABLE transcripts (
  id text,
  creatorid text,
  transcript text,
  PRIMARY KEY (id, creatorid) )
WITH CLUSTERING ORDER BY (creatorid ASC);

Table owner
CREATE TABLE owner (
  id text,
  ownership_start_time timeuuid,
  creatorid text,
  PRIMARY KEY (id, ownership_start_time) )
WITH CLUSTERING ORDER BY (ownership_start_time DESC);
```

Create tables with a cleanup procedure

You can specify **default_time_to_live** and **gc_grace_seconds**, as shown in the following example, where 1209600 is the number of seconds in two weeks:

```
CREATE TABLE transcripts (
  id text,
  creatorid text,
  transcript text,
  PRIMARY KEY (id, creatorid) )
WITH CLUSTERING ORDER BY (creatorid ASC)
AND default_time_to_live = 1209600 AND gc_grace_seconds = 1209600;

Table owner
CREATE TABLE owner (
  id text,
  ownership_start_time timeuuid,
  creatorid text,
  PRIMARY KEY (id, ownership_start_time) )
WITH CLUSTERING ORDER BY (ownership_start_time DESC)
```

Initialization Cassandra scripts for Chat Server

```
AND default_time_to_live = 1209600 AND gc_grace_seconds = 1209600;
```

For more information, see [Deploying Chat Server with Cassandra](#).