



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Pulse Deployment Guide

[Change History](#)

5/14/2025

Change History

This section lists content that is new or that has changed significantly since the first release of this content. The most recent changes appear first.

For *New in This Release* content, see the [Pulse landing page](#) for this release.

New in Document Version 8.5.1

The following topics have been added or changed since the previous release:

- [Language Pack Deployment](#) was added.
- [Support for WebDAV](#) was added.
- [Pulse Restful Web Service API](#) was updated.
- The following [Configuration Options](#) were updated:
 - The default value of max-objects-per-layout in the [limits] section was changed to 100.
 - New options were added to the new [parallel-processing] section.
 - max-stat-data-queue-size was added to the [statistic-request-handling] section.
 - worker-thread-count was added to the [transport-file] section.
 - exchange was added to the [transport-rabbitmq] section.
 - exchange-prefix was updated in the [transport-rabbitmq] section.

New in Document Version 8.5.010

The following topics have been added or changed since the previous release:

- [Deploying Pulse Collector and Pulse](#) was updated to include:
 - Software Requirements:
 - Windows Server 2012 Hyper-V
 - Microsoft SQL Server 2012 Cluster
 - Oracle 12c RAC
 - GAX release 8.5.000.68
 - Deploying RabbitMQ was added to provide an option for Quick Widget Updates.
 - The following privileges in Configuring User Access were changed:

- Pulse Read Layout renamed Pulse View Dashboard.
- Pulse Update Layout renamed Pulse Edit Widget Display .
- Pulse Write Layout renamed Pulse Manage Widgets.
- Pulse Write Template renamed Pulse Manage Templates and Default Dashboard.
- Pulse Read All Layouts and Pulse Write Snapshot added.
- amqp-client-3.3.4.jar, spring-amqp-1.3.6.RELEASE.jar, spring-rabbit-1.3.5.RELEASE.jar, and spring-jetty-1.1.0.RELEASE.jar added to the list of files to manually add if the installation procedure fails to find the GAX installation.
- **Pulse Restful Web Service API** was added.
- The following **Configuration Options** were changed:
 - The [transport-gpb-out] section was renamed [transport-file].
 - In the [collector] section, removed the output-transport option.
 - In the [statistic-request-handling] section, removed the data-flow-timeout and data-flow-check-interval.
 - In the [transport-gpb-out] section, removed the transport-type option.
 - The [transport-rabbitmq] section was added.
- The following Application Files were added:
 - Upgrade scripts: pulse_upgrade_08.5.001.02_mssql.sql, pulse_upgrade_08.5.001.02_oracle.sql, and pulse_upgrade_08.5.001.02_postgres.sql
 - JAR files: amqp-client-3.3.4.jar, spring-amqp-1.3.6.RELEASE.jar, spring-rabbit-1.3.5.RELEASE.jar, and spring-jetty-1.1.0.RELEASE.jar

New in Document Version 8.5.0

The following topics have been added or changed since the previous release:

- The **Architecture diagram** was updated.
- Software requirements and deployments were updated in **Deploying Pulse Collector and Pulse**.
- The step to execute ALTER DATABASE <Pulse DB> SET READ_COMMITTED_SNAPSHOT ON; was added to **Deploying the Pulse database** for the Microsoft SQL Server.
- **Starting Pulse** was updated.
- **Prerequisites and Starting Pulse** were updated.
- The following **Configuration Options** were changed:
 - Removed the [layout-history], [parallel-processing], [thresholds], and [transport-gpb-history] sections.
 - In the [collector] section:
 - Removed the history-transport option.

- In the [configuration-monitoring] section:
 - Added the `excluded-objects-propagation-delay` and `remove-dynamic-object-delay` options.
 - Removed the `auto-detect-dynamic-metagroups`, `enable-differential-layout-recheck`, `recheck-active-layout-definition`, and `strict-tenant-security` options.
- In the [layout-validation] section:
 - Renamed the `enable-strict-tenant-security-validation-rule` option to `validate-strict-tenant-security`.
- In the [limits] section:
 - Removed the `max-custom-actions-per-layout`, `max-custom-thresholds-per-layout`, `max-threshold-associations-per-layout` options.
- In the [output] section:
 - Added the `collector-snapshot-log-level` and `snapshot-log-level` option.
 - Removed the `cleanup-output` option.
- In the [pulse] section:
 - Added the `editable_templates`, `install_templates`, and `snapshot_expire_timeout` options.
 - Removed the `pause_timeout` option.
- In the [scripting] section:
 - Added the `stop-compute-formula-threshold-for-snapshot` option.
 - Removed the `cumulative-formula-script-execution-timeout`, `cumulative-threshold-script-execution-timeout`, `enable-extended-statistic-value`, `post-processing-script-execution-timeout`, and `threshold-script-execution-timeout` options.
- In the [statistics-request-handling] section:
 - Removed the `optimize-statistic-requests` options.
- In the [transport-gpb-out] section:
 - Added the `output-file-mode` option.
 - Removed the `backend-file-ext`, `cleanup-file-modification-age-threshold`, `generate-layout-info-file`, and `output-format` options.