



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Configurations Options Reference Manual

Changes in 8.5.x

Changes in 8.5.x

The following table lists all changes to Configuration Server Proxy options in the 8.5.x release.

Important

For information about Configuration Server Proxy configuration options that relate to external authentication in Configuration Server, refer to the *Framework External Authentication Reference Manual*.

Option Name	Option Values	Type of Change	Details
[csproxy] Section			
cfglib-connect-tmout	0–65536	New	
client-response-timeout	Positive integer up to 86400	Modified Valid Values and Changes Take Effect	Previous Valid Values: Any positive integer Previous Changes Take Effect: After restart
delay-reload	0 or any positive integer	New	
delay-reload-backup	0 or any positive integer	New	
management-port	Any valid TCP/IP port	New	
max-client-output-queue-size	1024	New	
max-output-queue-size	0	New	
proxy-cluster-name	No default value	New	
[system] Section			
token-tolerance	1–2147483647	New	
token-ttl	1–2147483647	New	
[history-log] Section			
active	true, false	Removed	
all	:memory:, valid path and name	Removed	
expiration	1–30	Removed	
failsafe-store-processing	true, false	Removed	
max-records	1–1000	Removed	
soap Section (removed)			
client_lifespan	Any positive integer	Removed	
debug	yes, no	Removed	

Changes in 8.5.x

Option Name	Option Values	Type of Change	Details
port	Any valid TCP/IP port	Removed	
Application Parameter Options			
user	1 or not set	New	