



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Framework Management Layer User's Guide

Genesys MIB File Changes

12/20/2025

Genesys MIB File Changes

Contents

- **1 Genesys MIB File Changes**
 - 1.1 Changes in 8.5
 - 1.2 Changes in 8.1
 - 1.3 Changes in 8.0
 - 1.4 Changes in 7.6

The Genesys 7 MIB (Management Information Base) file used for SNMP support is built into the latest release of Management Layer. This file is installed automatically, and resides in the root directory where Solution Control Server is installed.

This section lists the differences in Genesys MIB files between releases.

Changes in 8.5

There are no changes in the Genesys MIB file in release 8.5.

Changes in 8.1

There were no changes in the Genesys MIB file in release 8.1.

Changes in 8.0

In release 8.0, the Genesys MIB file was modified as follows:

- `apps OBJECT IDENTIFIER ::= { genesys 200 }` was added to provide an extension point for applications. This enables an application, such as Genesys Voice Platform, to register additional MIB regions that are controlled by the application itself (not by Solution Control Server).
- The `gServerStatus` object was extended with the following new status levels:
 - `statusSuspending(7)`
 - `statusSuspended(8)`
- The table **tsLinkStatsTable** was added to provide current statistics about the T-Server Link.

Changes in 7.6

There were no changes in the Genesys MIB file in release 7.6.