



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Configurations Options Reference Manual

Changes in 8.5.x

5/7/2025

# Changes in 8.5.x

The following table lists all changes to Configuration Server options in the 8.5.x release.

## Important

For information about Configuration Server configuration options that relate to external authentication in Configuration Server, refer to the [External Authentication Reference Manual](#).

Option Name	Option Values	Type of Change	Details
<b>Configuration Server section</b>			
cfglib-conn-async-tmout	Integer between 0 and 65536	Removed	Replaced by cfglib-connect-tmout.
cfglib-connect-tmout	Integer between 0 and 65536	Added	In release 8.5.100.26. Replaces cfglib-conn-async-tmout.
client-response-timeout	Positive integer up to 86400	Modified Valid Values and Changes Take Effect	Previous Valid Values: Any positive integer. Previous Changes Take Effect: After restart.
dbthread	true, false	Added	In release 8.5.106.02.
decryption-key	Valid path name	Added	In release 8.5.x.
delay-reload-backup	0 or any positive integer	Added	In release 8.5.101.38.
encryption	true, false	Modified	Now set automatically by Configuration Server.
force-offline	true, false	Added	In release 8.5.000.10.
force-reconnect-reload	true, false	Moved	Moved to the system section. In release 8.5.x.
langid	Valid integer from list of LCID to language mappings	Added	In release 8.5.x.
license	Binary value	Removed	
max-client-output-queue-size	1024	Added	In release 8.5.000.03.
max-output-queue-size	0	Added	In release 8.5.000.03.
peer-switchover-tmout	10–600	Added	In release 8.1.200.24.
primary-master-response-timeout	Any positive integer	Added	In release 8.5.101.28.

Option Name	Option Values	Type of Change	Details
primary-startup-tmout	1–MAXINT	Added	In release 8.5.x.
upgrade-mode	0, 1	Added	In release 8.5.100.21.
<b>Configuration Database Section</b>			
addp	on, off	Removed	
addp-timeout	1–3600	Removed	
addp-trace	on, off	Removed	
dbserv-conn-async-timeout	0–65535	Added	In release 8.5.101.13.
history-log-guid	Binary value	Removed	
history-log-minid	Binary value	Removed	
history-log-version	Binary value	Removed	
mssql-multisubnet	Yes, No	Added	In release 8.5.101.22 (Configuration Server), 8.5.100.19 (Message Server).
reconnect-timeout	0 or any positive integer	Removed	
server	No default value	Removed	
<b>hca Section</b> (removed)			
schema	none, snapshot, journal	Removed	
<b>[log] Section</b>			
x-dblib-debug	0–5	Added	In release 8.5.x. Use this option only when requested by Genesys Customer Care.
x-dblib-sql	0–5	Added	In release 8.5.x. Use this option only when requested by Genesys Customer Care.
x-stat-print-interval	0 or any positive integer	Added	In release 8.5.101.38.
x-stat-print-segment	Same as the value set in the segment option	Added	In release 8.5.101.42.
<b>soap Section</b> (removed)			
client-lifespan	1–65535	Removed	
debug	true, false	Removed	
port	0 or any valid TCP/IP port	Removed	
<b>[system] Section</b> (new)			
consistent-port-selection	true, false	Added	In release 8.5.101.38.
deferred-requests-expiration	0 to 2147483647	Added	In release 8.5.101.20.
prevent-mediatype-attr-removal	true, false	Added	In release 8.5.000.10.
proxy-load-max	0 to 2147483647	Added	In release 8.5.101.20.

Option Name	Option Values	Type of Change	Details
proxy-load-timeout	0 to 2147483647	Added	In release 8.5.101.20.
serialize-write-transactions	true, false	Added	In release 8.5.101.20.
skip-environment-enum-transfer	true, false	Added	In release 8.5.000.10.
skip-annex-validation	0, 1, 16	Added	In release 8.5.101.21.
throttle-updates-interval	0 to 2147483647	Added	In release 8.5.101.20.
token-authentication-mode	enable, disable, gui-port-only	Added	In release 8.5.101.10.
token-preamble	Any 3 characters enclosed in {}	Added	In release 8.5.101.10.
token-tolerance	1–2147483647	Added	In release 8.5.101.14.
token-ttl	1–2147483647	Added	In release 8.5.101.14.
token-uuid	A string of 32 hex characters in five hyphen-separated groups	Added	In release 8.5.101.10.
<b>[history-log] Section</b>			
write-former-value	true, false	Added	In release 8.5.x.
audit-expiration	Any positive integer	Added	In release 8.5.101.24.
audit-max-records	Any positive integer	Added	In release 8.5.101.24.
<b>Application Parameters</b>			
user	1 or not set	Added	In release 8.5.100.11.