

GENESYS


This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Administrator Extension Deployment Guide

Plug-ins

Plug-ins

Genesys Administrator Extension is deployed as a set of plug-ins into the GAX Core. This enables you to deploy only the functionality that you require, or to restrict the availability of certain functionality to users.



GAX is based on a hierarchical dependency system. The **gax-core** plug-in depends on the **gax-common** plug-in. The **gax-plugin-api** plug-in depends on the **gax-core** and **gax-common** plug-ins. All other GAX plug-ins depend on the **gax-plugin-api** and **gax-common** plug-ins.

The **gax-common** plug-in contains classes, such as error codes, exceptions, static utility classes, and interfaces, that are shared by both the **gax-core** and **gax-plugin-api** plug-ins. Most auditing related interfaces and objects are contained in the **gax-common** plug-in.

The **gax-core** plug-in manages all system-wide resources; therefore, all connections, threads, and stateful classes are contained in the **gax-core** plug-in.

The **gax-plugin-api** plug-in contains GAX functionalities that are used by other plug-ins. This plug-in contains generic configuration APIs, the base class of web access controller (BaseController), and other utility classes.

The gax-webservice plug-in contains all core web service interfaces that might be used in GAX.

Important

If a plug-in contains configuration options, you must have write permissions on the GAX Application object for SYSTEM .