



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Administrator Extension Help

Operational Parameter Management

12/19/2025

Operational Parameter Management

Operational Parameter Management (OPM) enables the creation of operational Parameters that are stored in the Configuration Database as part of Transaction objects. These Parameters can be used in parameterized Routing Strategies and other applications that are capable of reading Transaction objects, in which the values of the parameters are defined at runtime and integrated into the call flow.

In the case of Universal Routing Server type routing, Operational Parameter Management proceeds as follows—however, OPM also works in a similar way with other routing types, such as voice applications and Genesys Orchestration:

- The Service Provider defines the Parameter by specifying its type and a name by which it is referenced in a strategy, voice application, or other routing strategy.
- The Service Provider groups Parameters into a Parameter Group Template. One Parameter can be associated with one or more templates.
- The Service Provider deploys Parameter Group Templates to Tenants, at which time each Parameter Group Template becomes a Parameter Group for the Tenant. One Parameter Group Template can be deployed to more than one Tenant. Each Parameter Group in a Tenant is unique.
- The Tenant administrator, or a user with the appropriate permissions and role privileges, enters values for the Parameters in the Parameter Group, enabling control of active strategies. Genesys Administrator Extension stores those values in the Configuration Database as part of a Transaction object.
- The Universal Routing Server Application executes a Routing Strategy, which reads the values of the Parameters in the Parameter Groups with which it is associated, and integrates them into the call flow.

Operational Parameter Management respects tenancy permission settings. You can access only those objects that you have been granted permission to access.

The Operational Parameters Management module can be accessed from the **Routing Parameters** menu on the GAX header bar, and includes the following:

- **Parameters**
- **Parameter Groups**
- **Group Templates**