

## **GENESYS**

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

## Genesys Customer Experience Insights Project Guide

Service Objects folder

## Service Objects folder

The Service Objects folder contains numerous objects that enable the organization and filtering of Info Mart data based on a range of time. The objects in this folder are used as follows:

- All reports use one or more attributes (and conditions) from this folder.
- Only certain reports use the metrics from this folder (see Abandon Delay and the Speed of Accept reports).

Many folders contain Custom folders, which are not described in this document; custom folders are provided to store any custom objects.

## Service Objects folder and subfolders

This folder contains the following root folder and subfolders.

Service Objects

Folder: Service Objects

**Introduced:** 9.0.007.03

<b>Description:</b> The root folder for common service objects. Many reports use one or more attribute from this folder, while only a few reports, such as Abandon Delay and the Speed of Accept, use the metrics.			
Metrics:     Bound 1     Bound 10     Bound 11     Bound 12     Bound 13     Bound 14     Bound 15     Bound 16     Bound 17     Bound 18	<ul> <li>Bound 19</li> <li>Bound 2</li> <li>Bound 3</li> <li>Bound 4</li> <li>Bound 5</li> <li>Bound 6</li> <li>Bound 7</li> <li>Bound 8</li> <li>Bound 9</li> <li>Max Date</li> </ul>	<ul> <li>Min Date Time Day Key</li> <li>Min Date Time Day Next Key (Fmt)</li> <li>Min Date Time Day Next Key (Fmt)</li> <li>Min Date Time Key</li> <li>Min Date Time Key (Fmt)</li> <li>Min Date Time Next Day Key</li> <li>Start Date Time Key</li> </ul>	
Attributes:     Bound 1     Bound 10     Bound 11	<ul><li>Bound 12</li><li>Bound 13</li><li>Bound 14</li></ul>	<ul><li>Bound 15</li><li>Bound 16</li><li>Bound 17</li></ul>	

Bound 18	• Bound 7	Resource Name
• Bound 19	Bound 8	Schema Name
Bound 2	Bound 9	Schema Version
• Bound 3	Group Type	Target Queue
Bound 4	<ul> <li>Interaction Descriptor Key</li> </ul>	• Tenant
• Bound 5	Media Type	Time Range Key
Bound 6	Resource Group	

Reports built primarily from the objects in the Service Objects folder and subfolders

No results