

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Customer Experience Insights User's Guide

Interaction Traffic Group Report

Contents

- 1 Interaction Traffic Group Report
 - 1.1 Understanding the Interaction Traffic Group Report
 - 1.2 Prompts for the Interaction Traffic Group Report
 - 1.3 Attributes used in the Interaction Traffic Group Report
 - 1.4 Metrics used in the Interaction Traffic Group Report

Interaction Traffic Group Report

This page describes how you can use the (**Queues** folder) Interaction Traffic Group Report to see detailed information the efficiency of interaction handling, by queue group.

Understanding the Interaction Traffic Group Report



This report summarizes contact center activity as Interactions are offered to, abandoned within, and distributed from queues that belong to one or more queue group(s), including overall percentages of service level, and exceptions to service level. Mediation DN activity is rolled up to all of the groups to which the DN belongs. Counts and durations are attributed to the interval in which the interaction enters the mediation DN.

Use this report to better understand the efficiency of interaction handling in each queue group, at a high level, including summaries of interactions offered, accepted, and abandoned, and the average times to accept or abandon.

To get a better idea of what this report looks like, view sample output from the report: HRCXIInteractionTrafficGroupReport.pdf

The background color of data cells in this report serve to alert you to values that are outside of configured threshold ranges.

The following tables explain the prompts you can select when you generate the report, and the metrics and attributes that are represented in the report:

Prompts for the Interaction Traffic Group Report

Prompt	Description
Pre-set Date Filter	From the list, choose a time period on which to report, and move it to the Selected list.
Start Date	Choose the first day from which to gather report data.
End Date	Choose the last day from which to gather report data.
Queue Group	Optionally, select a queue on which to report.
Media Type	Optionally, select the type of media to include in the report—for example, VOICE, EMAIL, and CHAT.
Interaction Type	Optionally, select the type of interaction to include in the report—for example, Inbound, Outbound, and Internal.
Tenant	For multi-tenant environments, optionally select the tenant(s) for which to include data in the report.

Attributes used in the Interaction Traffic Group Report

Attribute	Description
Tenant	This attribute enables data within the reporting interval to be organized by tenant.
Media Type	This attribute enables data to be organized by the interaction's media type—for example, VOICE, EMAIL, and CHAT.
Queue Group	This attribute enables reporting data within the reporting interval to be organized by the name of the queue group. A queue can belong to more than one queue group.

Attribute	Description
Interaction Type	This attribute enables data to be organized by the interaction's type—for example, Inbound, Outbound, and Internal.
Day	This attribute enables data within the reporting interval to be organized by a particular day within a month and year. Day values are presented in YYYY-MM-DD format.

Metrics used in the Interaction Traffic Group Report

Metric	Description
% Accept Service Level	The service level of this queue group measured as a percentage of interactions that entered queues that belong to this queue group and were accepted within the acceptance threshold, relative to all interactions that entered queues that belong to this queue group and were offered to a resource. This metric yields results other than 0 only for interactions that were accepted by an agent. This metric relies on the value of the acceptance threshold as configured in the [agg-gim-thid-QUEUE-IXN] section.
Offered	The total number of interactions that entered queues that belong to this queue group and were subsequently offered to a resource. The count excludes short-abandoned interactions and includes handling attempts that agents rejected, as well as warm consultations, conferences, and collaborations that agents received. This metric does include interactions for which no threshold was set by Router. This metric relies on the value of the short-abandoned threshold as configured in the [agg-gim-thld-QUEUE-IXN] section.
Distributed	The total number of times that customer interactions or established warm consultations were distributed or pulled from queues that belong to this queue group. Distribution includes the interactions that were: Distributed to another queue. Distributed to an unmonitored resource. Accepted, answered, or pulled. Rejected/redirected upon no answer. Abandoned by the customer while they were alerting at the agent.

Metric	Description
	If the interaction passes through more than one queue before it was distributed, the count is increased only for that device from which the interaction was distributed or pulled.
Accepted	The total number of times that customer interactions and warm consultations that were distributed from queues that belong to this queue group, were accepted, answered, or pulled by an agent, voice-treatment port, IVR port, or nonagent-associated DN.
Abandoned Waiting	The total number of times that customer interactions entered queues that belong to this queue group and were abandoned or dropped for any reason before the interactions could be distributed.
	The count includes short-abandoned interactions and excludes interactions that were abandoned after distribution, such as abandoned-while-inviting interactions.
Short Abandoned Waiting	The total number of times that customer interactions entered queues that belong to this queue group and were abandoned within the short-abandoned threshold . The count excludes interactions that were abandoned after distribution. This metric relies on the value of the short-abandoned threshold as configured in the [agg-gim-thld-QUEUE-IXN] section.
Avg Accept Time (Fmt)	The average amount of time (HH:MM:SS) that customers waited before their interactions—distributed from queues that belong to the queue group—were accepted by a handling resource. This metric is identical to Queue\ASA.
Avg Abandoned Waiting Time (Fmt)	The average amount of time, in seconds, that customer interactions spent at queues that belong to this queue group before they were abandoned or dropped for any reason. This average includes the duration and count of shortabandoned interactions.