

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Customer Experience Insights Project Guide

Chat Metrics

Chat Metrics

The Chat folder contains numerous metrics that you can use to build Chat-related reports.

Note the following:

- Unless other wise noted, metrics that show time, display a whole integer representing the number of seconds.
- For detailed information about the different metric types, see Project terminology and concepts.

Important

Objects in each folder or subfolder are designed to be used together to create reports. Avoid mixing attributes and metrics from multiple folders into your reports. One exception to this rule is objects in the Time folder; Time attributes can be used in any report, and most reports include at least one attribute from the Time folder.

The following Metrics are available in this folder and are described on this page.

Chat

- % Agent Terminated
- % Customer Terminated
- % Interactions Parked
- % Interactions with Less Queue Time
- % Interactions with Long Queue Time
- % Session Inactive
- % Session Missed
- % Session Only with Bots
- · % Session Transferred
- · % Session with Bot
- Agent
- · Agent Response Time
- Agent Responses
- Agent Terminated

- Agent Wait
- Agent Wait Time
- · Avg Bots per Media Session
- Avg Bots per Session with Bot
- Avg Characters per Session typed by Agent
- Avg First Response Agent Time
- Avg Messages Sent By Agent
- Avg Messages Sent By Customer
- Avg Session Time
- Bot Session
- Customer Response Time
- Customer Responses
- Customer Terminated
- Customer Wait
- Customer Wait Time

- Disconnected
- First Agent Wait Time
- · First Bot Wait Time
- · First Response Agent Time
- First Response Wait Time
- First Touch Resolution
- Handle Interval
- Handle Time
- Idle (Agent Present)
- Idle Time (Agent Present)
- Interactions Parked
- Interactions with Less Queue Time
- Interactions with Long Queue Time
- Max Agent Response Time
- · Max Agent Wait Time
- Max Customer Response Time

- Max Customer Wait Time
- Max First Response Agent Time
- Max Wait-time in Oueue
- Media Session
- Messages From Agent
- Messages From Agent Size
- · Messages From Bot
- Messages From Bot Size
- · Messages From Customer
- Messages From Customer Size
- Parking Queue Duration
- Session Ended Normally
- Session Inactive
- Session Missed
- Session Only with Bot
- Session Time
- Session Transferred
- · Session with Bot
- Terminated Due to Other Reasons

Chat > Agent

- % Interactions Less Time to Accept
- % Interactions Long Time to Accept
- Abandoned Waiting Time

- Acceptance Rate
- Accepted
- Accepted Unique
- Alert Duration
- Avg Duration for Accepting Interactions
- Avg Focus Time
- Consult Received Engage Time
- Consult Received Engage Warm Time
- · Consult Received Hold Time
- · Consult Received Time
- Consult Received Warm Hold Time
- Consult Received Warm Time
- Consult Received Warm Wrap
- Consult Received Warm Wrap Time
- Consult Received Wrap
- Consult Received Wrap Time
- Engage Time
- Engagement Handle Time
- Focus Interval
- Focus Time
- Hold Time
- Interactions Less Time to Accept
- Interactions Long Time to

Accept

- Max Duration for Accepting Interactions
- Offered
- Rejected
- Wrap Time

Chat > Async

- · Dormant Interval
- Dormant Time
- · Idle (No Agent)
- Idle Time (No Agent)

Chat > Thread

- Average Thread Handle Time
- Average Thread Response Time
- Thread Agent Messages
- · Thread Agent Messages Size
- Thread Customer Messages
- Thread Customer Messages Size
- Thread Engagements
- · Thread Handle Time
- Thread Response Time
- Thread Sessions
- Threads

Folder: Chat

| Metric name: % Agent Terminated | Folder: |
|---|---------------|
| | Chat |
| Description: The percentage of sessions that were terminated | by the agent. |

| Source or Calculation: Calculated based on the Chat > Terminated and Chat > Media Session metrics. | Used in: |
|---|---|
| Media type: | |
| Data type: Metric type: | Chat Termination Report |
| >> Back to list | |
| Metric name: % Customer Terminated | Folder: |
| Tietrie namer // Castomer Terminatea | Chat |
| Description: The percentage of sessions that were terminat | ed by the customer. |
| Source or Calculation: Calculated based on the Chat > Customer Terminated and Chat > Media Session metrics. | Used in: |
| Media type: | oseu III. |
| Data type: Metric type: | Chat Termination Report |
| >> Back to list | |
| Metric name: % Interactions Parked | |
| Metric Haine. // Hiteractions Parked | Folder: |
| Introduced: 9.0.013 | |
| mirouuceu. 9.0.013 | Chat |
| Description: The percentage of interactions that were place number of interactions that were established. | d in parking queue, relative to the total |
| Source or Calculation: Calculated based on the Chat > Media Session and Chat > Interactions Parked metrics. | Used in: |
| Media type: | |
| Data type: | This metric is not used in any reports. |
| Metric type: | |
| >> Back to list | |
| Metric name: % Interactions with Less | |
| Queue Time | Foldow |
| | Folder: |
| Introduced: 9.0.013 | Chat |
| Description: The percentage of interactions that spent less configured as the duration-threshold in the [agg-gim-thld-CH. | |
| Source or Calculation: Calculated based on the Chat > Interaction with Less Queue Time and Chat > Interactions Parked metrics. | Used in: This metric is not used in any reports. |
| Media type: | |
| | |

| Data type: Metric type: | | |
|--|-------------------------------|--|
| >> Back to list | | |
| Metric name: % Interaction Queue Time | tions with Long | Folder: |
| Introduced: 9.0.013 | | Chat |
| Description: The percentage of in configured as the duration-threshold | | me in the parking queue than the value PARKING] section. |
| Source or Calculation: Calculate Interaction with Long Queue Time Parked metrics. | | Used in: |
| Media type: | | This metric is not used in any reports. |
| Data type: Metric type: | | |
| >> Back to list | | |
| Metric name: % Session | 1 Inactive | Folder: Chat |
| Description: The percentage of s (ENDED_REASON='INACTIVE'). | sessions that were terminated | due to inactivity |
| Source or Calculation: Calculate Session Inactive and Chat > Media | | Used in: |
| Media type: | | Chat Termination Report |
| Data type: Metric type: | | chat fermination report |
| >> Back to list | | |
| Metric name: % Session | n Missed | Folder: |
| | | Chat |
| Description: aka % Chats Missed. Percentage of chats requested by clients that were not answered by agents. | | |
| Source or Calculation: Calculate Session Missed and Chat > Media | | Used in: |
| Media type: | | Chat Session Report |
| Data type: Metric type: | | |
| >> Back to list | | |

| Metric name: % Session Only with Bots | Folder: Chat |
|---|--|
| Description: The percentage of media sessions handled by bo | ts, without agent involvement. |
| Source or Calculation: Calculated based on the Chat > Session Only with Bots and Chat > Media Session metrics. | Used in: |
| Media type: | Bot Dashboard |
| Data type: Metric type: | Sessions Handled by Bots |
| >> Back to list | |
| Metric name: % Session Transferred | Folder: |
| | Chat |
| Description: aka % Chats Transferred. The percentage of session | ons that were transferred to an agent. |
| Source or Calculation: Calculated based on the Chat > Session Transferred and Chat > Media Session metrics. | Used in: |
| Media type: | Chat Session Report |
| Data type: Metric type: | Char Session Report |
| >> Back to list | |
| Metric name: % Session with Bot | Folder: |
| | Chat |
| | Chac |
| Description: The percentage of media sessions in which bots | |
| Description: The percentage of media sessions in which bots a Source or Calculation: Calculated based on the Chat > Session with Bot and Chat > Media Session metrics. | |
| Source or Calculation: Calculated based on the Chat > | participated. |
| Source or Calculation: Calculated based on the Chat > Session with Bot and Chat > Media Session metrics. | participated. Used in: |
| Source or Calculation: Calculated based on the Chat > Session with Bot and Chat > Media Session metrics. Media type: Data type: | Darticipated. Used in: Bot Dashboard |
| Source or Calculation: Calculated based on the Chat > Session with Bot and Chat > Media Session metrics. Media type: Data type: Metric type: >> Back to list | Darticipated. Used in: Bot Dashboard |
| Source or Calculation: Calculated based on the Chat > Session with Bot and Chat > Media Session metrics. Media type: Data type: Metric type: | Used in: Bot Dashboard Sessions Handled by Bots |
| Source or Calculation: Calculated based on the Chat > Session with Bot and Chat > Media Session metrics. Media type: Data type: Metric type: >> Back to list Metric name: Agent | Darticipated. Used in: Bot Dashboard Sessions Handled by Bots Folder: Chat |
| Source or Calculation: Calculated based on the Chat > Session with Bot and Chat > Media Session metrics. Media type: Data type: Metric type: >> Back to list Metric name: Agent Description: The number of parties that participated in the session metrics. | Darticipated. Used in: Bot Dashboard Sessions Handled by Bots Folder: Chat |
| Source or Calculation: Calculated based on the Chat > Session with Bot and Chat > Media Session metrics. Media type: Data type: Metric type: >> Back to list Metric name: Agent Description: The number of parties that participated in the session metrics. | Darticipated. Used in: Bot Dashboard Sessions Handled by Bots Folder: Chat Ssion as an agent. |
| Source or Calculation: Calculated based on the Chat > Session with Bot and Chat > Media Session metrics. Media type: Data type: Metric type: >> Back to list Metric name: Agent Description: The number of parties that participated in the session metrics. | participated. Used in: Bot Dashboard Sessions Handled by Bots Folder: Chat Ssion as an agent. Used in: |
| Source or Calculation: Calculated based on the Chat > Session with Bot and Chat > Media Session metrics. Media type: Data type: Metric type: >> Back to list Metric name: Agent Description: The number of parties that participated in the session metrics. | Darticipated. Used in: Bot Dashboard Sessions Handled by Bots Folder: Chat Ssion as an agent. |

| Metric name: Agent R | esponse Time | Folder: Chat |
|---|---|---|
| Description: The total amount | of time that an agent spent resp | oonding to a customer. |
| Source or Calculation: AG2_CHAT_STATS_*.AGENT_REF | PLY_TIME | Used in: |
| Media type: | | This metric is not used in any reports. |
| Data type: Metric type: | | This metric is not used in any reports. |
| >> Back to list | | |
| Metric name: Agent R | esponses | Folder: Chat |
| Description: The total number | of times that agents responded | to a customer. |
| Source or Calculation: AG2_CHAT_STATS_*.AGENT_RES | SPONSES | Used in: |
| Media type: Chat | | This metric is not used in any reports. |
| Data type: Metric type: Disposition | | This metric is not used in any reports. |
| >> Back to list | | |
| | | |
| Metric name: Agent To | erminated | Folder: Chat |
| Metric name: Agent To | | Chat |
| Metric name: Agent To | of sessions that were terminate | Chat d by the agent. |
| Metric name: Agent To Description: The total number Source or Calculation: | of sessions that were terminate | Chat d by the agent. Used in: |
| Metric name: Agent To Description: The total number Source or Calculation: AG2_CHAT_STATS_*.SESSIONS_A | of sessions that were terminate | Chat d by the agent. |
| Metric name: Agent To Description: The total number Source or Calculation: AG2_CHAT_STATS_*.SESSIONS_/ Media type: Chat Data type: | of sessions that were terminate | Chat d by the agent. Used in: |
| Metric name: Agent To Description: The total number Source or Calculation: AG2_CHAT_STATS_*.SESSIONS_/ Media type: Chat Data type: Metric type: | r of sessions that were terminated | Chat d by the agent. Used in: |
| Metric name: Agent To Description: The total number Source or Calculation: AG2_CHAT_STATS_*.SESSIONS_/ Media type: Chat Data type: Metric type: >> Back to list Metric name: Agent Volume | r of sessions that were terminated | Chat d by the agent. Used in: Chat Termination Report Folder: Chat |
| Metric name: Agent To Description: The total number Source or Calculation: AG2_CHAT_STATS_*.SESSIONS_/ Media type: Chat Data type: Metric type: >> Back to list Metric name: Agent Volume | of sessions that were terminated AGENT_TERMINATED Vait of times that agents waited for a | Chat d by the agent. Used in: Chat Termination Report Folder: Chat |
| Metric name: Agent To Description: The total number Source or Calculation: AG2_CHAT_STATS_*.SESSIONS_/ Media type: Chat Data type: Metric type: >> Back to list Metric name: Agent Volume Description: The total number | of sessions that were terminated AGENT_TERMINATED Vait of times that agents waited for a | Chat d by the agent. Used in: Chat Termination Report Folder: Chat |
| Metric name: Agent To Description: The total number Source or Calculation: AG2_CHAT_STATS_*.SESSIONS_/ Media type: Chat Data type: Metric type: >> Back to list Metric name: Agent W Description: The total number Source or Calculation: AG2_C | of sessions that were terminated AGENT_TERMINATED Vait of times that agents waited for a | Chat d by the agent. Used in: Chat Termination Report Folder: Chat a reply from a customer. |

| Metric name: Agent Wait | Гime | Folder: |
|--|----------------------------|---|
| | | |
| Description: The total amount of tim | e that agents spent waitin | g for replies from customers. |
| Source or Calculation: AG2_CHAT_STATS_*.AGENT_WAIT_TIME | | Used in: |
| Media type: | | This metric is not used in any reports. |
| Data type: Metric type: | | This medic is not used in any reports. |
| >> Back to list | | |
| Metric name: Avg Bots per | r Media Session | Folder: Chat |
| Description: Avg Number of Bot Gate | eway Server (BGS) session | s per media session. |
| Source or Calculation: Calculated as > Bot Sessions metric divided by the Media Sessions metric. | | Used in: |
| Media type: | | Sessions Handled by Bots |
| Data type: Metric type: | | · |
| >> Back to list | | |
| Metric name: Avg Bots per Bot | Session with | Folder: Chat |
| Description: Avg Number of Bot Gate participated. | eway Server (BGS) session | s per media session in which bots |
| Source or Calculation: Calculated as > Bot Sessions metric divided by the visessions with Bot metric. | | Used in: |
| Media type: | | Bot Dashboard |
| Data type: Metric type: | | Sessions Handled by Bots |
| >> Back to list | | |
| Metric name: Avg Characte typed by Agent | ers per Session | Folder: Chat |
| Description: The average number of | characters typed by agen | ts, per session. |
| Source or Calculation: Calculated as > Messages From Agent Size metric d | | Used in: |

| the Chat > Media Sessions metric. | | |
|--|---|--|
| Media type: | Chat Massacra Chabiatian Damant | |
| Data type: Metric type: | Chat Message Statistics Report | |
| >> Back to list | | |
| Metric name: Avg First Response Agent | Filder | |
| Time | Folder: | |
| | Chat | |
| Beauty to the Theory and the China in the Indian and the China | denoting that also and before the first | |
| Description: The average amount of time, including mediation time an agent responded to the customer interaction. | duration, that elapsed before the first | |
| Source or Calculation: Calculated as the value of the Chat > First Response Agent Time metric divided by the value of | | |
| the Chat > Media Sessions metric. | Used in: | |
| Media type: | This metric is not used in any reports. | |
| Data type: Metric type: | | |
| >> Back to list | | |
| >> back to list | | |
| Metric name: Avg Messages Sent By Agent | Folder: | |
| | Chat | |
| Description: The average number of messages sent by agents | , per chat session. | |
| Source or Calculation: Calculated as the value of the Chat | | |
| > Messages From Agent metric divided by the value of the Chat > Media Sessions metric. | Used in: | |
| Media type: | Chat Message Statistics Report | |
| Data type: | - Chat Message Statistics Neport | |
| Metric type: | | |
| >> Back to list | | |
| Metric name: Avg Messages Sent By | Folder: | |
| Customer | Chat | |
| | Citat | |
| Description: The average number of messages sent by callers | / customers, per chat session. | |
| Source or Calculation: Calculated as the value of the Chat | | |
| > Messages From Customer metric divided by the value of the Chat > Media Sessions metric. | Used in: | |
| Media type: | Chat Message Statistics Report | |
| Data type: Metric type: | | |
| neare type. | | |

| >> Back to list | | |
|---|--------------------------------------|--|
| Metric name: Avg Ses | sion Time | Folder: Chat |
| Description: The average dura | ation of media sessions within the | e reporting period. |
| Source or Calculation: Calcul > Session Time metric divided Media Sessions metric. Media type: Data type: | | Used in:Chat Session ReportChat Termination Report |
| Metric type: | | |
| >> Back to list | | |
| Metric name: Bot Ses | sion | Folder: Chat |
| Description: TThe total number | er of parties that participated in a | a session as bots. |
| Source or Calculation: AG2_0 | CHAT_STATS_*.BOTS | Used in: |
| Media type: | | Bot Dashboard |
| Data type: Metric type: | | Sessions Handled by Bots |
| >> Back to list | | |
| Metric name: Custom | er Response Time | Folder: Chat |
| Description: The total amount | of time a customer spent in resp | oonding to agents. |
| Source or Calculation: AG2_CHAT_STATS_*.CUSTOMER Media type: Data type: Metric type: | _RESPONSE_TIME | Used in: This metric is not used in any reports. |
| >> Back to list | | |
| Metric name: Custom | er Responses | Folder: Chat |
| Description: The total number | of times a customer responded | to an agent. |
| Source or Calculation: AG2_CHAT_STATS_*.CUSTOMER | _RESPONSES | Used in: |
| Media type: Data type: | | This metric is not used in any reports. |

| Metric type: | | |
|---|--|---|
| >> Back to list | | |
| Metric name: Custom | er Terminated | Folder: Chat |
| Description: The number of se | essions terminated by a custome | r, per session. |
| Source or Calculation: AG2_CHAT_STATS_*.CUSTOMER | _TERMINATED | Used in: |
| Media type: | | Chat Termination Report |
| Data type: Metric type: | | |
| >> Back to list | | |
| Metric name: Custom | er Wait | Folder: |
| | | Chat |
| Description: The total number | r of times that a customer wait fo | r a reply from an agent. |
| Source or Calculation: AG2_CHAT_STATS_*.CUSTOMER | r_WAIT | Used in: |
| Media type: | | This metric is not used in any reports. |
| Data type: Metric type: | | , , , |
| >> Back to list | | |
| Metric name: Custom | er Wait Time | Folder: |
| | | Chat |
| Description: The total amount | t of time that a customer spent w | aiting for replies from agents. |
| Source or Calculation: AG2_CHAT_STATS_*.CUSTOMER | _WAIT_TIME | Used in: |
| Media type: | | This metric is not used in any reports. |
| Data type: Metric type: | | The modern to not cook in any reporter. |
| >> Back to list | | |
| Metric name: Disconn | nected | Folder: Chat |
| Description: The number of in (ENDED_REASON='DISCONNEC | nteractions that ended with a disc T'). | onnection |
| Source or Calculation: AG2_CHAT_STATS_*.SESSIONS_ | DISCONNECTED | Used in: |

| Media type: | | This metric is not used in any reports. |
|--|--|--|
| Data type: Metric type: | | This metric is not used in any reports. |
| >> Back to list | | |
| Metric name: First Ag | ent Wait Time | Folder: |
| | | Chat |
| Description: The amount of tir agent (visible to the customer) | | er the session started before the first |
| Source or Calculation: AG2_CHAT_STATS_*.FIRST_AGEN | NT_WAIT_TIME | Used in: |
| Media type: | | This metric is not used in any reports. |
| Data type: Metric type: | | This meane is not used in any reports. |
| >> Back to list | | |
| Metric name: First Bo | t Wait Time | Folder: |
| | | Chat |
| Description: The amount of tir (visible to the customer) joined | | er the session started before the first bot |
| Source or Calculation: AG2_CHAT_STATS_*.FIRST_BOT_ | _WAIT_TIME | Used in: |
| Media type: | | This metric is not used in any reports. |
| Data type: Metric type: | | , |
| >> Back to list | | |
| Metric name: First Re | sponse Agent Time | Folder: |
| | | Chat |
| | psed between the first agent joir customer. Does not include routir | ning the media session, and the first ng time. |
| Source or Calculation: Calcul Response Wait Time minus the | | Used in: |
| Media type: | | This metric is not used in any reports. |
| Data type: Metric type: | | This medic is not used in any reports. |
| >> Back to list | | |
| F F Back to list | | |
| Metric name: First Re | sponse Wait Time | Folder: |
| 2 2011 12 1121 | sponse Wait Time | Folder: Chat |

| Description: The time that elapsed between the beginning of the media session and the first message from an agent to the customer. | | |
|--|---|--|
| Source or Calculation: AG2_CHAT_STATS_*.FIRST_RESPONSE_WAIT_TIME | Used in: | |
| Media type: | This metric is not used in any reports. | |
| Data type: Metric type: | This metric is not used in any reports. | |
| >> Back to list | | |
| Metric name: First Touch Resolution | Folder: | |
| | Chat | |
| Description: The number of advanced chat sessions that were is, without being placed in a dormant state, or woken from a dormant state. | | |
| This metric includes sessions that were ended by the agent, customer, or timeo | ut. | |
| Source or Calculation: AG2_CHAT_STATS_*.FIRST_TOUCH_RESOLUTION | Used in: | |
| Media type: | Async Chat Dashboard | |
| Data type: Metric type: | Chat Interaction Stats | |
| >> Back to list | | |
| Metric name: Handle Interval | Folder: | |
| | Chat | |
| Description: The number of times a session was in the active s | tate (as opposed to a dormant state). | |
| Source or Calculation: AG2_CHAT_STATS_*.HANDLE_INTERVAL | Used in: | |
| Media type: | Async Chat Dashboard | |
| The state of the s | Asylic Chat Dashboard | |
| Data type: Metric type: | Chat Interaction Stats | |
| Data type: | - | |
| Data type: Metric type: | - | |
| Data type: Metric type: >> Back to list | Chat Interaction Stats | |
| Data type: Metric type: >> Back to list | Chat Interaction Stats Folder: | |
| Data type: Metric type: >> Back to list Metric name: Handle Time | Chat Interaction Stats Folder: | |
| Data type: Metric type: >> Back to list Metric name: Handle Time Description: The total duration of the media session. | • Chat Interaction Stats Folder: Chat Used in: | |
| Data type: Metric type: >> Back to list Metric name: Handle Time Description: The total duration of the media session. Source or Calculation: AG2_CHAT_STATS_*.HANDLE_TIME | • Chat Interaction Stats Folder: Chat | |
| Data type: Metric type: >> Back to list Metric name: Handle Time Description: The total duration of the media session. Source or Calculation: AG2_CHAT_STATS_*.HANDLE_TIME Media type: Data type: | • Chat Interaction Stats Folder: Chat Used in: • Async Chat Dashboard | |

| Metric name: Idle (Agent Present) | Folder: | |
|--|---|--|
| | Chat | |
| Description: The total number of times that a customer interaction had no activity, when the interaction was in the active state and at least one agent was participating in the chat. This metric counts only the time that exceeds the configured threshold. | | |
| | | |
| Source or Calculation: AG2_CHAT_STATS_*.ACTIVE_IDLE Media type: | Used in: | |
| Data type: Metric type: | This metric is not used in any reports. | |
| >> Back to list | | |
| Metric name: Idle Time (Agent Present) | Folder: | |
| | Chat | |
| Description: The total amount of time, with no activity, when interaction was in the active state and at least one agent was participating in the chat. | | |
| This metric counts only the time that exceeds the configured threshold. | | |
| Source or Calculation: AG2_CHAT_STATS_*.ACTIVE_IDLE_TIME | Used in: | |
| Media type: | Async Chat Dashboard | |
| Data type: Metric type: | Chat Interaction Stats | |
| >> Back to list | | |
| Metric name: Interactions Parked Introduced: 9.0.013.01 | Folder: Chat | |
| Description: The number of interactions that were placed in the parking queue and routed during business hours. | | |
| Source or Calculation: AG2_CHAT_STATS_*.SESSIONS_PARKED | Used in: | |
| Media type: | This metric is not used in any reports. | |
| Data type: Metric type: | This metric is not used in any reports. | |
| >> Back to list | | |
| Metric name: Interactions with Less Queue Time | Folder: Chat | |

| Introduced: 9.0.013.01 | |
|---|---|
| Description: The number of interactions that specification of the configured as the duration-threshold in the [agg | pent less time in the parking queue than the value -gim-thld-CHAT-PARKING] section. |
| Source or Calculation: AG2_CHAT_STATS_*.SESSIONS_PARKED_SHORT Media type: Data type: Metric type: | Used in: This metric is not used in any reports. |
| >> Back to list | |
| Metric name: Interactions with Lo Queue Time Introduced: 9.0.013.01 | Folder: Chat |
| Description: The number of interactions that specifications to specification of the configured as the duration-threshold in the [agg | pent more time in the parking queue than the value -gim-thld-CHAT-PARKING] section. |
| Source or Calculation: AG2_CHAT_STATS_*.SESSIONS_PARKED_LONG Media type: Data type: Metric type: | Used in: This metric is not used in any reports. |
| >> Back to list | |
| Metric name: Max Agent Respons | Se Time Folder: |
| Description: The longest amount of time that a | n agent spent in replying to a customer. |
| Source or Calculation: AG2_CHAT_STATS_*.AGENT_RESPONSE_TIME_MA Media type: Data type: Metric type: | Used in: This metric is not used in any reports. |
| >> Back to list | |
| Metric name: Max Agent Wait Tin | Te Folder: |
| Description: The longest amount of time, during customer response. | g the reporting interval, that an agent waited for a |

| Source or Calculation: AG2_CHAT_STATS_*.AGENT_WA | IT_TIME_MAX | Used in: |
|--|--|---|
| Media type: | | |
| Data type: Metric type: | | This metric is not used in any reports. |
| >> Back to list | | |
| Metric name: Max Cu | stomer Resnonse | |
| Time | stomer Kesponse | Folder: |
| Time | | Chat |
| Description: The longest amo spent in responding to an agen | | the reporting interval, that a customer |
| Source or Calculation: AG2_CHAT_STATS_*.CUSTOMER | R RESPONSE TIME MAX | |
| Media type: | | Used in: |
| | | This metric is not used in any reports. |
| Data type: Metric type: | | |
| | | |
| >> Back to list | | |
| Metric name: Max Cu | stomer Wait Time | Folder: |
| | | Chat |
| | | Cilat |
| | | |
| Description: The longest amo message. | unt of time that any customer wa | aited for an agent to reply to a chat |
| message. Source or Calculation: | · | aited for an agent to reply to a chat |
| message. Source or Calculation: AG2_CHAT_STATS_*.CUSTOMER | · | aited for an agent to reply to a chat Used in: |
| message. Source or Calculation: | · | Used in: |
| message. Source or Calculation: AG2_CHAT_STATS_*.CUSTOMER Media type: Data type: | · | |
| message. Source or Calculation: AG2_CHAT_STATS_*.CUSTOMER Media type: | · | Used in: |
| message. Source or Calculation: AG2_CHAT_STATS_*.CUSTOMER Media type: Data type: | · | Used in: |
| message. Source or Calculation: AG2_CHAT_STATS_*.CUSTOMER Media type: Data type: Metric type: >> Back to list | R_WAIT_TIME_MAX | Used in: This metric is not used in any reports. |
| message. Source or Calculation: AG2_CHAT_STATS_*.CUSTOMER Media type: Data type: Metric type: | R_WAIT_TIME_MAX | Used in: |
| message. Source or Calculation: AG2_CHAT_STATS_*.CUSTOMER Media type: Data type: Metric type: >> Back to list Metric name: Max Fire | R_WAIT_TIME_MAX | Used in: This metric is not used in any reports. |
| message. Source or Calculation: AG2_CHAT_STATS_*.CUSTOMER Media type: Data type: Metric type: >> Back to list Metric name: Max Fire | R_WAIT_TIME_MAX | Used in: This metric is not used in any reports. Folder: |
| message. Source or Calculation: AG2_CHAT_STATS_*.CUSTOMER Media type: Data type: Metric type: >> Back to list Metric name: Max Fir Time | st Response Agent | Used in: This metric is not used in any reports. Folder: |
| message. Source or Calculation: AG2_CHAT_STATS_*.CUSTOMER Media type: Data type: Metric type: >> Back to list Metric name: Max Fir Time Description: The longest amounts | st Response Agent ount of time that elapsed before the argest value recorded in | Used in: This metric is not used in any reports. Folder: Chat |
| message. Source or Calculation: AG2_CHAT_STATS_*.CUSTOMER Media type: Data type: Metric type: >> Back to list Metric name: Max Fir Time Description: The longest amount of the session. Source or Calculation: The language of Calculation: The C | st Response Agent ount of time that elapsed before the argest value recorded in | Used in: This metric is not used in any reports. Folder: Chat the first agent response to a customer in a Used in: |
| message. Source or Calculation: AG2_CHAT_STATS_*.CUSTOMER Media type: Data type: Metric type: >> Back to list Metric name: Max Fir Time Description: The longest amount of | st Response Agent ount of time that elapsed before the argest value recorded in | Used in: This metric is not used in any reports. Folder: Chat the first agent response to a customer in a |

| >> Back to list | | |
|--|---|--|
| Metric name: Max Wait-time in Queue | Folder: | |
| | | |
| Description: The longest amount of time (HH:MM:SS) that any | interaction spent in the parking queue. | |
| Source or Calculation: AG2_CHAT_STATS_*.PARKING_DURATION_MAX Media type: Data type: Metric type: | Used in: This metric is not used in any reports. | |
| >> Back to list | | |
| Metric name: Media Session | Folder: Chat | |
| Description: The total number of media sessions. | | |
| Source or Calculation: AG2_CHAT_STATS_*.SESSIONS | Used in: | |
| Media type: Data type: Metric type: | Async Chat Dashboard Bot Dashboard Chat Interaction Stats Chat Session Report Chat Termination Report Sessions Handled by Bots | |
| >> Back to list | | |
| Metric name: Messages From Agent | Folder: Chat | |
| Description: Total number of agent messages in all chat sessions within the reporting period. | | |
| Source or Calculation: AG2_CHAT_STATS_*.MSG_FROM_AGENTS Media type: Data type: Metric type: | Used in: • Chat Session Report | |
| >> Back to list | | |
| Metric name: Messages From Agent Size Description: Total size of agent messages in all chat sessions of | Folder: Chat within the reporting period. | |

| Source or Calculation: AG2_CHAT_STATS_*.MSG_FROM_AGENTS_SIZE | Used in: | |
|---|---|--|
| Media type: | | |
| Data type: Metric type: | This metric is not used in any reports. | |
| >> Back to list | | |
| Motric name: Massages From Bot | Folder: | |
| Metric name: Messages From Bot | Chat | |
| Description: Total number of bot messages in all chat sessions | within the reporting period. | |
| Source or Calculation: AG2_CHAT_STATS_*.MSG_FROM_BOT | | |
| Media type: | Used in: | |
| Data type: Metric type: | This metric is not used in any reports. | |
| >> Back to list | | |
| Metric name: Messages From Bot Size | Folder: | |
| | Chat | |
| Description: Total size of bot messages in all chat sessions with | nin the reporting period. | |
| Source or Calculation: AG2_CHAT_STATS_*.MSG_FROM_BOT_SIZE | Hand to | |
| Media type: | Used in: | |
| Data type: Metric type: | This metric is not used in any reports. | |
| >> Back to list | | |
| Metric name: Messages From Customer | Folder: | |
| | Chat | |
| Description: Total number of customer messages in all chat sessions within the reporting period. | | |
| Source or Calculation: AG2_CHAT_STATS_*.MSG_FROM_CUSTOMERS | Used in: | |
| Media type: | | |
| Data type: Metric type: | Chat Session Report | |
| >> Back to list | | |
| Metric name: Messages From Customer Size | Folder: Chat | |

| Description: Total size of all customer messages in all chat set | ssions within the reporting period. | |
|---|---|--|
| Source or Calculation: AG2_CHAT_STATS_*.MSG_FROM_CUSTOMERS_SIZE | Used in: | |
| Media type: | This metric is not used in any reports. | |
| Data type: Metric type: | ,, | |
| >> Back to list | | |
| Metric name: Parking Queue Duration | Folder: | |
| Introduced: 9.0.013 | Chat | |
| Description: The total amount of time that the interaction spe | nt in the parking queue. | |
| Source or Calculation: AG2_CHAT_STATS_*.PARKING_DURATION | Used in: | |
| Media type: | This metric is not used in any reports. | |
| Data type: Metric type: | mis meere is not used in any reports. | |
| >> Back to list | | |
| Metric name: Session Ended Normally | Folder: | |
| | Chat | |
| Description: The number of interaction that ended normally (ENDED_REASON in ['QUIT', 'FORCE']). | | |
| Source or Calculation: AG2_CHAT_STATS *.SESSION_ENDED_NORMALLY | | |
| | Used in: | |
| Media type: | | |
| | This metric is not used in any reports. | |
| Media type: Data type: | | |
| Media type: Data type: Metric type: | | |
| Media type: Data type: Metric type: >> Back to list | This metric is not used in any reports. | |
| Media type: Data type: Metric type: >> Back to list | This metric is not used in any reports. Folder: Chat ctive during the reporting period. | |
| Media type: Data type: Metric type: >> Back to list Metric name: Session Inactive | This metric is not used in any reports. Folder: Chat ctive during the reporting period. Used in: | |
| Media type: Data type: Metric type: >> Back to list Metric name: Session Inactive Description: The total number of times that sessions were inactive source or Calculation: | This metric is not used in any reports. Folder: Chat ctive during the reporting period. Used in: Async Chat Dashboard | |
| Media type: Data type: Metric type: >> Back to list Metric name: Session Inactive Description: The total number of times that sessions were inactive and sessions. AG2_CHAT_STATS_*.SESSIONS_INACTIVE | This metric is not used in any reports. Folder: Chat ctive during the reporting period. Used in: | |
| Media type: Data type: Metric type: >> Back to list Metric name: Session Inactive Description: The total number of times that sessions were inactive and source or Calculation: AG2_CHAT_STATS_*.SESSIONS_INACTIVE Media type: Data type: | This metric is not used in any reports. Folder: Chat ctive during the reporting period. Used in: Async Chat Dashboard Chat Interaction Stats | |

| Metric name: Session Missed | Folder: |
|---|--|
| Introduced: 9.0.011.xx | Chat |
| Description: Total number of chats requested by clients that reporting period. aka Chats Missed. | were not answered by agents during the |
| Source or Calculation: AG2_CHAT_STATS.SESSIONS_MISSED | |
| Media type: | Used in: |
| Data type: Metric type: | Chat Session Report |
| >> Back to list | |
| Metric name: Session Only with Bot | Folder: Chat |
| Description: The total number of media sessions handled by | bots, without agent involvement. |
| Source or Calculation: AG2_CHAT_STATS_*.SESSION_ONLY_WITH_BOT | Used in: |
| Media type: | Bot Dashboard |
| Data type: Metric type: | Sessions Handled by Bots |
| >> Back to list | |
| Metric name: Session Time | Folder: |
| | Chat |
| Description: The total duration of chat sessions within the re | porting period. |
| Source or Calculation: AG2_CHAT_SESSION_*.SESSION_TIME | |
| Media type: | Used in: |
| Data type: Metric type: | This metric is not used in any reports. |
| >> Back to list | |
| Metric name: Session Transferred | Folder: Chat |
| Description: aka Chats Transferred. The total number of chat the reporting period. | s that were transferred to an agent during |
| Source or Calculation: AG2_CHAT_STATS_*.SESSIONS_TRANSFERRED (SESSIONS_TRANSFERRED = sum(case when sf.AGENTS COUNT> 1 then 1 else 0 end)) | Used in: • Chat Session Report |

| Media type: | | |
|---|---------------------------------|--------------------------|
| Data type: Metric type: | | |
| >> Back to list | | |
| Metric name: Session | with Bot | Folder: |
| | | Chat |
| Description: The total number | of media sessions in which bots | participated. |
| Source or Calculation: AG2_CHAT_STATS_*.SESSIONS_ | WITH_BOT | Used in: |
| Media type: | | Bot Dashboard |
| Data type: Metric type: | | Sessions Handled by Bots |
| >> Back to list | | |
| Metric name: Termina Reasons | ited Due to Other | Folder: Chat |
| Description: The total number of sessions that terminated for any reason other than interruption by the agent, abandonment or interruption by the caller, or inactivity. | | |
| Source or Calculation: Calculation: Calculation: [Customer Terminated]) - [Agendantive]) | | Used in: |
| Media type: | | Chat Termination Report |
| Data type: Metric type: | | |
| >> Back to list | | |

Folder: Chat > Agent

| Metric name: % Interactions Less Time to | |
|---|--------------|
| Accept | Folder: |
| Introduced: 9.0.012 | Chat > Agent |
| Description: The percentage of interactions that were accepted by an agent before the amount of time configured as the value of the option accepted-duration-threshold in the agg-gim-thld-CHAT-ACC section. | |

| Source or Calculation: Calculated as the value of the Chat > Agent > Interactions Less Time to Accept metric divided by the value of the Chat > Agent > Accepted metric. | Used in: | |
|--|---|--|
| Media type: | Interactions Acceptance Report | |
| Data type: number Metric type: | mediacions receptance report | |
| >> Back to list | | |
| Metric name: % Interactions Long Time to | | |
| Accept | Folder: | |
| Introduced: 9.0.012 | Chat > Agent | |
| Description: The percentage of interactions that were accepted by an agent after the amount of time configured as the value of the option accepted-duration-threshold in the agg-gim-thld-CHAT-ACC section. | | |
| Source or Calculation: Calculated as the value of the Chat > Agent > Interactions LongTime to Accept metric divided by the value of the Chat > Agent > Accepted metric. | Used in: | |
| Media type: | Interactions Acceptance Report | |
| Data type: number Metric type: | | |
| >> Back to list | | |
| Metric name: Abandoned Waiting Time | Folder: | |
| Metric fiame. Abandoned Waiting Time | Chat > Agent | |
| Description: The total amount of time that customers spent waiting for a response in sessions that they eventually abandoned before connecting to an agent. | | |
| Source or Calculation: AG2_CHAT_STATS_*.ABANDONED_WAITING_TIME | Used in: | |
| Media type: | | |
| Data type: Metric type: | This metric is not used in any reports. | |
| >> Back to list | | |
| Metric name: Acceptance Rate | Folder: | |
| • | Chat > Agant | |
| | Chat > Agent | |
| Description: Percentage of engagements that were accepted by | _ | |
| Description: Percentage of engagements that were accepted to Source or Calculation: Calculated as the value of the Chat > Agent > Offered metric divided by the value of the Chat > Agent > Accepted metric. | _ | |

| Data type: Metric type: | | |
|--|-----------------------------------|---|
| >> Back to list | | |
| Metric name: Accepte | d | Folder: |
| · | | Chat > Agent |
| Description: Total number of a | ssigned engagements that were | accepted by the agents. |
| Source or Calculation: AG2_C AG2_CHAT_AGENT_GRP.ACCEPTI | | Used in: |
| Media type: | | Chat Engagement Report |
| Data type: Metric type: | | Interactions Acceptance Report |
| >> Back to list | | |
| Metric name: Accepte | d Unique | Folder: |
| | | Chat > Agent |
| Description: The total number | of logical interactions that were | accepted, initiated, or pulled by this |
| | | ound replies to inbound interactions. |
| Source or Calculation: AG2_CHAT_AGENT_*.ACCEPTED | _UNIQUE | Used in: |
| Media type: | | Async Chat Dashboard |
| Data type: Metric type: | | Chat Agent Stats |
| >> Back to list | | |
| Metric name: Alert Du | ıration | |
| | | Folder: |
| Introduced: 9.0.012 | | Chat > Agent |
| | | |
| Description: The number of seconds that an interaction alerted at the agent's DN before being accepted. | | |
| Source or Calculation: AG2_C AG2_CHAT_AGENT_GRP.INVITE_A | | Used in: |
| Media type: | | This metric is not used in any reports. |
| Data type: number Metric type: | | |
| >> Back to list | | |
| Metric name: Avg Dur | ation for Accepting | Folder: |
| Interactions | | Chat > Agent |

Introduced: 9.0.012 Description: The average amount of time (([h]:mm:ss) that interactions alerted at the agent's DN before being accepted. **Source or Calculation:** Calculated as the value of the Chat > Agent > Alert Duration metric divided by the value of the Used in: Chat > Agent > Accepted metric. Media type: • Interactions Acceptance Report Data type: number Metric type: >> Back to list **Metric name: Avg Focus Time** Folder: Chat > Agent Description: The average amount of time that agents spent working directly or indirectly on media sessions within the reporting interval. **Source or Calculation:** Calculated as Chat > Agent > Focus Used in: Time divided by Chat > Agent > Accepted Unique. Media type: · Asynchronous Chat Dashboard Data type: Chat Agent Stats Metric type: >> Back to list Metric name: Consult Received Engage Folder: **Time** Chat > Agent **Description:** The total amount of time that agents were engaged in collaborations or simple consultations where the collaborations/consultations were associated with customer interactions of this business attribute and the agents were the recipients of the collaboration/consultations requests. **Source or Calculation:** AG2_CHAT_AGENT_*.CONSULT_RECEIVED_ENGAGE_TIME Used in: Media type: This metric is not used in any reports. Data type: Metric type: >> Back to list Metric name: Consult Received Engage Folder: **Warm Time** Chat > Agent

Description: The total amount of time that agents were engaged in consultations that were distributed or pulled from this chat and associated with customer interactions, the agents were the recipients of the consultation requests, and the interactions were transferred to or conferenced with agents. Source or Calculation: AG2 CHAT AGENT *.CONSULT RCV WARM ENGAGE TIME Used in: This metric is not used in any reports. Data type: Metric type: >> Back to list Metric name: Consult Received Hold Time Folder: Chat > Agent **Description:** Total amount of time that agents had simple consultations on hold, where consultations were distributed or pulled from this chat and associated with customer interactions, and agents were consultation recipients. **Source or Calculation:** AG2 CHAT AGENT *.CONSULT RECEIVED HOLD TIME Used in: Media type: This metric is not used in any reports. Data type: Metric type: >> Back to list **Metric name: Consult Received Time** Folder: Chat > Agent **Description:** The total amount of time that this agent was engaged as a recipient in collaborations or simple consultations, including related hold durations, where the collaborations/consultations were associated with customer interactions. **Source or Calculation:** Calculated as the sum of Chat > Agent > Consult Received Engage Time plus Chat > Agent > Consult Received Hold Time. Used in: Media type: This metric is not used in any reports. Data type: Metric type: >> Back to list **Metric name: Consult Received Warm Hold** Folder: **Time** Chat > Agent **Description:** The total amount time that agents had consultations on hold where the interactions were distributed or pulled from this chat and associated with customer interactions, the agents were the recipients of the consultation requests, and the interactions were transferred to or conferenced with the agents.

| Source or Calculation: AG2_CHAT_AGENT_*.CONSULT_RCV_WARM_HOLD_TIME | Used in: |
|---|---|
| Media type: | osca IIII |
| Data type: Metric type: | This metric is not used in any reports. |
| >> Back to list | |
| Metric name: Consult Received Warm Time | Folder: |
| Metric name: Consult Received warm Time | Chat > Agent |
| Description: The total amount of time that this agent was engaconsultations, including related hold durations, where the collab with customer interactions. | |
| Source or Calculation: Calculated as the sum of Chat > Agent > Consult Received Warm Engage Time plus Chat > Agent > Consult Received Warm Hold Time. | Used in: |
| Media type: | This metric is not used in any reports. |
| Data type: Metric type: | This metric is not used in any reports. |
| >> Back to list | |
| Metric name: Consult Received Warm | |
| Wrap | Folder: |
| | Chat > Agent |
| Description: Total number of times consultations that agents restate, and interactions were transferred/conferenced with agent | |
| Source or Calculation: AG2_CHAT_AGENT_*.CONSULT_RCV_WARM_WRAP | |
| Media type: | Used in: |
| Data type: Metric type: | This metric is not used in any reports. |
| >> Back to list | |
| Metric name: Consult Received Warm | |
| Wrap Time | Folder: |
| Wide Time | Chat > Agent |
| Description: Total amount of time that agents spent in ACW st. from this queue) that the agents requested and received, and the conferenced with the agents. | |
| Source or Calculation: AG2_CHAT_AGENT_*.CONSULT_RCV_WARM_WRAP_TIME | Used in: |
| Media type: | This metric is not used in any reports. |

| Data type: Metric type: | |
|---|--|
| >> Back to list | |
| Metric name: Consult Received Wrap | Folder: |
| · | Chat > Agent |
| Description: Total number of times entered ACW (Wrap) state | following accepted simple consultations. |
| Source or Calculation: AG2_CHAT_AGENT_*.CONSULT_RECEIVED_WRAP | Used in: |
| Media type: | This metric is not used in any reports. |
| Data type: Metric type: | This metric is not used in any reports. |
| >> Back to list | |
| Metric name: Consult Received Wrap Time | Folder: |
| · | Chat > Agent |
| | |
| Description: The total amount of time spent in ACW (Wrap) statement consultations. | ite following accepted simple |
| Source or Calculation: AG2_CHAT_AGENT_*.CONSULT_RECEIVED_WRAP_TIME | Used in: |
| Media type: | |
| Data type: Metric type: | This metric is not used in any reports. |
| >> Back to list | |
| Metric name: Engage Time | Folder: |
| | Chat > Agent |
| Description: Total duration of engagement since an agent joini | ng a shat till agent leaves the shat or |
| chat ends. | ng a chat till agent leaves the chat of |
| Source or Calculation: AG2_CHAT_AGENT_*.ENGAGE_TIME | |
| Media type: | Used in: |
| Data type: Metric type: | This metric is not used in any reports. |
| >> Back to list | |
| Metric name: Engagement Handle Time | Folder: |
| 3 3 | Chat > Agent |
| | |
| Description: Total duration of the agent engagement. | |
| Source or Calculation: Calculated as the difference between | Used in: |

| the time when the agent joins the cagent leaves the chat (or the time to | | |
|---|---------------------------------|--|
| Media type: | | Chat Engagement Report |
| Data type: Metric type: | | ende Engagement Report |
| >> Back to list | | |
| Metric name: Focus Inte | m/al | Folder: |
| Metric name: Focus inte | IVal | |
| | | Chat > Agent |
| Description: The number of times | the agent (or agents) was in | focus state on this media session. |
| Source or Calculation: AG2_CHAT | T_AGENT_*.FOCUS | |
| Media type: | | Used in: |
| Data type: Metric type: | | Chat Agents Stats |
| >> Back to list | | |
| Metric name: Focus Time | e | Folder: |
| | | Chat > Agent |
| | | J. |
| Description: The total amount of t media session. This metric excludes | | ent working directly or indirectly on this |
| Source or Calculation: AG2_CHA7 | T_AGENT_*.FOCUS_TIME | Used in: |
| Media type: | | Async Chat Dashboard |
| Data type: | | Chat Agent Stats |
| Metric type: | | Chat Engagement Report |
| | | Char Engagement Report |
| >> Back to list | | |
| Metric name: Hold Time | | Folder: |
| | | Chat > Agent |
| | | - |
| Description: The total amount of thold. | time within the interval that t | his agent had customer interactions on |
| Source or Calculation: AG2_CHAT | T_AGENT_*.HOLD_TIME | |
| Media type: | | Used in: |
| Data type: Metric type: | | This metric is not used in any reports. |
| >> Back to list | | |
| | | Folder: |
| Metric name: Interaction | ns Less Time to | |
| Accept | | Chat > Agent |

| Introduced: 9.0.012 | |
|--|---|
| Description: The number of interactions that were accepted by configured as the value of the option accepted-duration-threshold | |
| Source or Calculation: AG2_CHAT_AGENT.ACCEPTED_SHORT, AG2_CHAT_AGENT_GRP.ACCEPTED_SHORT | Used in: |
| Media type: | This metric is not used in any reports. |
| Data type: number Metric type: | |
| >> Back to list | |
| Metric name: Interactions Long Time to | |
| Accept | Folder: |
| | Chat > Agent |
| Introduced: 9.0.012 | Char > Agent |
| | |
| Description: The number of interactions that were accepted by configured as the value of the option accepted-duration-threshold | |
| Source or Calculation: AG2_CHAT_AGENT.ACCEPTED_LONG, | |
| AG2_CHAT_AGENT_GRP.ACCEPTED_LONG | Used in: |
| Media type: | This metric is not used in any reports. |
| Data type: number Metric type: | |
| Declara list | |
| >> Back to list | |
| Metric name: Max Duration for Accepting | |
| Interactions | Folder: |
| Introduced: 9.0.012 | Chat > Agent |
| initiodal Stocker | |
| | |
| Description: The longest amount of time (([h]:mm:ss) that any before being accepted. | interaction alerted at the agent's DN |
| Source or Calculation: AG2_CHAT_AGENT.INVITE_ACC_TIME_MAX, AG2_CHAT_AGENT_GRP.INVITE_ACC_TIME_MAX | Used in: |
| Media type: | Interactions Acceptance Report |
| Data type: number Metric type: | |
| >> Back to list | |
| | |

| Metric name: Offered | Folder: |
|---|---|
| | Chat > Agent |
| Description: Total number of engagements that were offered t | o agents. |
| Source or Calculation: AG2_CHAT_AGENT_*.OFFERED | Used in: |
| Media type: | |
| Data type: Metric type: | Chat Engagement Report |
| >> Back to list | |
| Metric name: Rejected | Folder: |
| | Chat > Agent |
| Description: Total number of engagements that were rejected | by agents. |
| Source or Calculation: AG2_CHAT_AGENT_*.REJECTED | |
| Media type: | Used in: |
| Data type: Metric type: | This metric is not used in any reports. |
| >> Back to list | |
| Metric name: Wrap Time | Folder: |
| | Chat > Agent |
| Description: The total amount of time that agents spent performing after-call work for customer interactions that were distributed from this chat. | |
| Source or Calculation: AG2_CHAT_AGENT_*.WRAP_TIME | |
| Media type: | Used in: |
| Data type: Metric type: | This metric is not used in any reports. |
| >> Back to list | |

Folder: Chat > Async

| Metric name: Dormant Interval | Folder: |
|--|--------------|
| | Chat > Async |
| Description: The number of times a session entered the dormant state. | |
| Source or Calculation: AG2_CHAT_STATS_*.DORMANT | Used in: |

| Media type: Data type: Metric type: | | Async Chat DashboardChat Interaction Stats |
|---|---------------------------|---|
| >> Back to list | | |
| Metric name: Dorman | t Time | Folder: Chat > Async |
| Description: The total amount of time that a customer interaction was in the dormant state or on hold (with no Agent participant). Routing time is excluded from dormant time. | | |
| Source or Calculation: AG2_0 | CHAT_STATS_*.DORMANT_TIME | Used in: |
| Media type: | | Async Chat Dashboard |
| Data type: Metric type: | | Chat Interaction Stats |
| >> Back to list | | |
| Metric name: Idle (No | Agent) | Folder: Chat > Async |
| Description: The number of times that customer interactions had no activity when the interaction was in the active state and no agents were participating in the chat. | | |
| Source or Calculation: AG2_0 | CHAT_STATS_*.ASYNC_IDLE | Used in: |
| Media type: Data type: Metric type: | | Chat Interaction Stats |
| >> Back to list | | |
| Metric name: Idle Tim | ne (No Agent) | Folder: Chat > Async |
| Description: The total amount of time that customer interactions had no activity when the interaction was in the active state and no agents were participating in the chat. | | |
| Source or Calculation: AG2_CHAT_STATS_*.ASYNC_IDL | E_TIME | Used in: |
| Media type: | | Async Chat Dashboard |
| Data type: Metric type: | | Chat Interaction Stats |
| >> Back to list | | |
| | | |

Folder: Chat > Thread

| Metric name: Average Thread Handle Time | Folder: |
|---|---|
| Introduced: 9.0.012.01 | Chat > Thread |
| Description: Average handle duration of all chats in all thread | ds. |
| Source or Calculation: Calculated as AG2_CHAT_THREAD_STATS.HANDLE_DURATION divided by AG2_CHAT_THREAD_STATS.THREADS | Used in: |
| Media type: | This metric is not used in any reports. |
| Data type: Metric type: | |
| >> Back to list | |
| Metric name: Average Thread Response Time | Folder: |
| Introduced: 9.0.012.01 | Chat > Thread |
| Description: For served threads, the average amount of time subsequent agents' messages. | between clients' messages and the |
| Source or Calculation: Calculated as AG2_CHAT_THREAD_STATS.AGENT_REPLY_DURATION divided by AG2_CHAT_THREAD_STATS.THREADS | Used in: |
| Media type: | This metric is not used in any reports. |
| Data type: Metric type: | |
| >> Back to list | |
| Metric name: Thread Agent Messages | Folder: |
| Introduced: 9.0.012.01 | Chat > Thread |
| Description: Total number of agent messages in all threads. | |
| Source or Calculation: AG2_CHAT_THREAD_STATS.MSG_FROM_AGENTS | Used in: |
| Media type: | This metric is not used in any reports. |
| Data type: Metric type: | This medic is not used in any reports. |
| >> Back to list | |

| Metric name: Thread Agent Messages Size | Folder: |
|--|---|
| Introduced: 9.0.012.01 | Chat > Thread |
| Description: Total size of all agent messages in the thread. | |
| Source or Calculation: AG2_CHAT_THREAD_STATS.MSG_FROM_AGENTS_SIZE Media type: Data type: Metric type: | Used in: This metric is not used in any reports. |
| >> Back to list | |
| Metric name: Thread Customer Messages Introduced: 9.0.012.01 | Folder: Chat > Thread |
| Description: Total number of customer messages in all threads | 5. |
| Source or Calculation: AG2_CHAT_THREAD_STATS.MSG_FROM_CUSTOMERS | Used in: |
| Media type: Data type: Metric type: | This metric is not used in any reports. |
| >> Back to list | |
| Metric name: Thread Customer Messages Size Introduced: 9.0.012.01 | Folder: Chat > Thread |
| Description: Total size of all customer messages in the thread. | |
| Source or Calculation: AG2_CHAT_THREAD_STATS.MSG_FROM_CUSTOMERS_SIZE ??? Media type: | Used in: |
| Data type: Metric type: | This metric is not used in any reports. |
| >> Back to list | |
| Metric name: Thread Engagements | Folder: |
| Introduced: 9.0.012.01 | Chat > Thread |

| Description: Total number of engagements in all threads. | |
|---|---|
| Source or Calculation: AG2_CHAT_THREAD_STATS.ENGAGEMENTS | Used in: |
| Media type: | |
| Data type: Metric type: | This metric is not used in any reports. |
| >> Back to list | |
| Metric name: Thread Handle Time | |
| | Folder: |
| Introduced: 9.0.012.01 | Chat > Thread |
| Description: Total handle duration of all chats in all thread | ds. |
| Source or Calculation: AG2_CHAT_THREAD_STATS.HANDLE_DURATION | Used in: |
| Media type: | This metric is not used in any reports. |
| Data type: Metric type: | This metric is not used in any reports. |
| >> Back to list | |
| Metric name: Thread Response Time | Folder: |
| Introduced: 9.0.012.01 | Chat > Thread |
| Description: The total amount of time between clients' messages and the subsequent agents' messages throughout the thread. | |
| Source or Calculation: AG2_CHAT_THREAD_STATS.AGENT_REPLY_DURATION | Used in: |
| Media type: | This metric is not used in any reports. |
| Data type: Metric type: | This metric is not used in any reports. |
| >> Back to list | |
| Metric name: Thread Sessions | |
| | Folder: |
| Introduced: 9.0.012.01 | Chat > Thread |
| Description: Total number of sessions in all threads. | |
| Source or Calculation: AG2_CHAT_THREAD_STATS.SESSIGN | ONS Used in: |
| | |

| Media type: Data type: Metric type: | This metric is not used in any reports. |
|---|---|
| >> Back to list | |
| Metric name: Threads Introduced: 9.0.012.01 | Folder: Chat > Thread |
| Description: Total number of threads started by clients. | |
| Source or Calculation: AG2_CHAT_THREAD_STATS.THREADS Media type: Data type: Metric type: | Used in: This metric is not used in any reports. |
| >> Back to list | |