



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Genesys Customer Experience Insights User's Guide

Agent Details Activity Report

4/24/2025

---

## Contents

- 1 Agent Details Activity Report
  - 1.1 Understanding the Agent Details Activity Report
  - 1.2 Prompts for the Agent Details Activity Report
  - 1.3 Attributes used in the Agent Details Activity Report
  - 1.4 Metrics used in the Agent Details Activity Report

# Agent Details Activity Report

This page describes how you can use the (**Agents** folder and **Details** folder) Agent Details Activity Report to learn more about specific agents.

## Understanding the Agent Details Activity Report

Agent Details Activity Report												
Tenant	Media Type	Session Key	Active Flag	Start Timestamp Sess	End Timestamp Sess	Start Timestamp State	End Timestamp State	Interaction Type	State Name	Active Time (Fmt)	Duration	Additional Info
Environment	Voice	3	0	1/14/2011 12:30:45 PM	1/14/2011 12:30:48 PM	1/14/2011 12:30:45 PM	1/14/2011 12:30:48 PM		NotReady	00:00:03	3	Reason Code: NO REASON
						1/14/2011 12:36:51 PM	1/14/2011 12:37:17 PM		NotReady	00:10:45	26	Reason Code: NO REASON
						1/14/2011 12:37:17 PM	1/14/2011 12:37:18 PM		Ready	00:10:45	1	Reason Code: RC_soft=89
						1/14/2011 12:37:18 PM	1/14/2011 12:37:21 PM	Inbound	INBOUND Receiver Alert	00:10:45	3	lxn ID: 1
						1/14/2011 12:37:18 PM	1/14/2011 12:37:36 PM		Busy	00:10:45	18	Reason Code: NO REASON
						1/14/2011 12:37:21 PM	1/14/2011 12:37:25 PM	Inbound	INBOUND Receiver Connect	00:10:45	4	lxn ID: 1
						1/14/2011 12:37:25 PM	1/14/2011 12:37:28 PM	Inbound	INBOUND Receiver Hold	00:10:45	3	
						1/14/2011 12:37:28 PM	1/14/2011 12:37:32 PM	Inbound	INBOUND Receiver Connect	00:10:45	4	lxn ID: 1
						1/14/2011 12:37:32 PM	1/14/2011 12:37:34 PM	Inbound	INBOUND Receiver Hold	00:10:45	2	lxn ID: 1
		1/14/2011 12:37:34 PM	1/14/2011 12:37:36 PM	Inbound	INBOUND Receiver Connect	00:10:45	2	lxn ID: 1				
		1/14/2011 12:37:36 PM	1/14/2011 12:37:41 PM		Ready	00:10:45	5	Reason Code: RC_soft=89				
		1/14/2011 12:37:41 PM	1/14/2011 12:39:24 PM		NotReady	00:10:45	103	Reason Code: RC_soft=89				
		1/14/2011 12:39:24 PM	1/14/2011 12:39:24 PM		Ready	00:10:45	0	Reason Code: RC_soft=89				
		1/14/2011 12:39:24 PM	1/14/2011 12:39:28 PM	Inbound	INBOUND Receiver Alert	00:10:45	4	lxn ID: 3				
		1/14/2011 12:39:28 PM	1/14/2011 12:39:28 PM		Busy	00:10:45	4	Reason Code: NO REASON				
		1/14/2011 12:39:28 PM	1/14/2011 12:39:36 PM		Ready	00:10:45	8	Reason Code: RC_soft=89				
		1/14/2011 12:39:36 PM	1/14/2011 12:39:36 PM		INBOUND	00:10:45	45	lxn ID: 2				

This report provides a chronological breakdown of the activities of one agent over a period of time that you specify including:

- The timestamp and duration of the agent’s active (login) session.
- The collective status of the agent’s devices or DNs (for example, Ready, NotReady, or Busy), when each status began for that DN, and its duration.
- The interaction state when it was offered to or being processed by the agent.

The Agent Summary Activity Reports complement this report by summarizing the durations of agent sessions, agent states, and interaction states over one day.

For those rows related to agent status, the Additional Information column provides the reason code selected for why the agent was in a particular state—if software and/or hardware reason codes are configured within your environment.

To get a better idea of what this report looks like, view sample output from the report:

## SampleAgentDetailsActivityReport.pdf

The following tables explain the prompts you can select when you generate the report, and the metrics and attributes that are represented in the report:

### Prompts for the Agent Details Activity Report

Prompt	Description
Pre-set Day Filter	Choose from the convenient list of predefined rolling time ranges, spanning one day or more, over which to run the report.
Start Time	Choose the first day and time from which to gather report data.
End Time	Choose the last day and time from which to gather report data.
Single Agent (Required)	Select one or more agents from which to gather data for the report.
Media Type	Optionally, select the type of media to include in the report—for example, VOICE, EMAIL, and CHAT.
Interaction Type	Optionally, select the type of interaction to include in the report—for example, Inbound, Outbound, and Internal.
Tenant	For multi-tenant environments, optionally select the tenant(s) for which to include data in the report.

### Attributes used in the Agent Details Activity Report

Attribute	Description
Tenant	This attribute enables data within the reporting interval to be organized by tenant.
Media Type	This attribute enables data to be organized by the interaction’s media type—for example, VOICE, EMAIL, and CHAT.
Session Key	This attribute enables data to be organized by the agent’s active session for a particular media type.
Start Timestamp Sess	This attribute enables data to be organized by the calendar date and time when the agent session began.
End Timestamp Sess	This attribute enables data to be organized by the calendar date and time when the agent session ended. If the agent has not logged out, the value of this attribute is NULL.
Start Timestamp State	This attribute enables data to be organized by the

Attribute	Description
	calendar date and time when the agent entered a specific state.
End Timestamp State	This attribute enables data to be organized by the calendar date and time when the agent state ended.
Interaction Type	This attribute enables data to be organized by the interaction's type—for example, Inbound, Outbound, and Internal.
State Name	This attribute enables data to be organized by the state, such as UNKNOWN, NOTREADY, READY, BUSY, or INBOUND.

## Metrics used in the Agent Details Activity Report

Metric	Description
Active Time (Fmt)	<p>The total amount of time, in seconds, between the beginning and end of this agent's login session(s) on a particular media channel, irrespective of the intervals in which the resource session occurs. If an agent logs into multiple DNs, login duration is measured from the moment at which the agent logs in to the first DN to the moment at which the agent is no longer logged in to any DN. If the agent's session was still active when the data was compiled, the agent's session duration appears as null in the reports.</p> <p>If the agent is not forcibly logged out when the calendar dates ends, login duration is split over both days.</p>
Duration	The difference, in seconds, between the beginning and end of the agent's interaction-related state.
Additional Info	This attribute enables data to be organized by the primary key of the INTERACTION_FACT table. For voice interactions, the Interaction ID is the call's connection ID, which is assigned by the telephony server. This ID remains unchanged for as long as the telephony server processes the interaction. For multimedia interactions originating from an Interaction Server, this value is the assigned Interaction ID.

Because of the volume of data that this report could potentially generate, Genesys recommends that you restrict the start and end dates to the narrowest range that satisfies your report criteria. The default date selections span one day, and the Single Agent prompt is required.

Because this report weaves in the results from several Info Mart FACT tables to recount the story of the agent's activities, some of the report's records hold null values for columns that do not apply. For example, interaction types do not apply to agent status; therefore, no values will appear under the Interaction Type column for agent-state (or agent-session) records.

Many column headers in this report are generated from variables.

Data pertaining to interaction states is pulled directly from the Info Mart database. Refer to **The SM\_RES\_STATE\_FACT Table** section in the *Genesys Info Mart User's Guide* for special considerations regarding very short duration (>0 and <1 sec) states.