



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Info Mart Physical Data Model for a Microsoft SQL Server Database

Table LDR_RECORD

Table LDR_RECORD

Description

Introduced: 8.5.012.15

In partitioned databases, this table is not partitioned.

This dimension table allows CX Contact record facts to be described based on characteristics of the contact list records, such as contact information type, record type, record status, and disposition.

Tip

To assist you in preparing supplementary documentation, click the following link to download a comma-separated text file containing information such as the data types and descriptions for all columns in this table: [Download a CSV file](#).

Hint: For easiest viewing, open the downloaded CSV file in Excel and adjust settings for column widths, text wrapping, and so on as desired. Depending on your browser and other system settings, you might need to save the file to your desktop first.

Column List

Legend

| Column | Data Type | P | M | F | DV |
|-------------------|---------------|---|---|---|---------|
| ID | int | X | X | | |
| CREATE_AUDIT_KEY | numeric(19) | | X | X | |
| CONTACT_INFO_TYPE | nvarchar(32) | | X | | unknown |
| RECORD_TYPE | nvarchar(32) | | X | | unknown |
| RECORD_STATUS | nvarchar(32) | | X | | unknown |
| DISPOSITION | nvarchar(255) | | X | | unknown |

ID

The primary key of this table. This ID is referenced from other tables as LDR_RECORD_KEY.

CREATE_AUDIT_KEY

The surrogate key that is used to join to the CTL_AUDIT_LOG control table. The key specifies the lineage for data creation. This value can be useful for aggregation, enterprise application integration (EAI), and ETL tools--that is, applications that need to identify newly added data.

CONTACT_INFO_TYPE

The type of the contact device. This field is set to one of the following values:

- No Contact Type
- Home Phone
- Direct Business Phone
- Business With Extension
- Mobile
- Vacation Phone
- Pager
- Modem
- Voice Mail
- Pin Pager
- E-Mail Address
- Instant Messaging

RECORD_TYPE

The type of the record from the contact list. This field is set to one of the following values:

- No Record Type
- Unknown Record Type
- General
- Campaign Rescheduled
- Personal Rescheduled
- Personal Callback
- Campaign Callback
- No Call

RECORD_STATUS

The status of the record from the contact list. This field is set to one of the following values:

- No Record Status
- Ready
- Retrieved
- Updated
- Stale
- Cancelled
- Agent Error
- Chain Updated
- Missed Callback
- Chain Ready

DISPOSITION

The reason for filtering out the record from the campaign during the pre-loading phase, as reported by CX Contact.

Index List

| CODE | U | C | Description |
|--------------|---|---|--|
| I_LDR_RECORD | X | | Ensures that the combinations of values that are stored in the dimension table are unique. |

Index I_LDR_RECORD

| Field | Sort | Comment |
|-------------------|-----------|---------|
| CONTACT_INFO_TYPE | Ascending | |
| RECORD_TYPE | Ascending | |
| RECORD_STATUS | Ascending | |
| DISPOSITION | Ascending | |

Subject Areas

No subject area information available.