



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Genesys Info Mart Physical Data Model for a Microsoft SQL Server Database

Table `SDR_EXT_SERVICE_OUTCOME`

# Table SDR\_EXT\_SERVICE\_OUTCOME

## Description

**Introduced:** 8.5.004. Supported in Genesys Engage cloud deployments only.  
**Modified:** 8.5.010 (in Microsoft SQL Server, data type for SERVICE\_NAME and SERVICE\_RESPONSE\_DESC modified in single- and multi-language databases)

In partitioned databases, this table is not partitioned.

This dimension table enables Session Detail Record (SDR) facts to be described based on the outcome of a custom service or an HTTP REST request, if one has been requested for the call.

### Tip

To assist you in preparing supplementary documentation, click the following link to download a comma-separated text file containing information such as the data types and descriptions for all columns in this table: [Download a CSV file.](#)

**Hint:** For easiest viewing, open the downloaded CSV file in Excel and adjust settings for column widths, text wrapping, and so on as desired. Depending on your browser and other system settings, you might need to save the file to your desktop first.

## Column List

### Legend

| Column                | Data Type     | P | M | F | DV       |
|-----------------------|---------------|---|---|---|----------|
| ID                    | int           | X | X |   |          |
| SERVICE_NAME          | nvarchar(255) |   | X |   | NO_VALUE |
| SERVICE_RESPONSE_CODE | int           |   | X |   | -1       |
| SERVICE_RESPONSE_DESC | nvarchar(512) |   | X |   | NO_VALUE |

Table SDR\_EXT\_SERVICE\_OUTCOME

| Column           | Data Type   | P | M | F | DV |
|------------------|-------------|---|---|---|----|
| CREATE_AUDIT_KEY | Numeric(19) |   | X | X |    |

## ID

The primary key of this table.

## SERVICE\_NAME

**Modified:** 8.5.010 (in Microsoft SQL Server, data type modified in single- and multi-language databases)

The name of the custom service.

## SERVICE\_RESPONSE\_CODE

The service-specific code as returned from the custom service.

## SERVICE\_RESPONSE\_DESC

**Modified:** 8.5.010 (in Microsoft SQL Server, data type modified in single- and multi-language databases)

The service-specific description as returned from the custom service.

## CREATE\_AUDIT\_KEY

The surrogate key that is used to join to the CTL\_AUDIT\_LOG control table. The key specifies the lineage for data creation. This value can be useful for aggregation, enterprise application integration (EAI), and ETL tools--that is, applications that need to identify newly added data.

## Index List

| CODE                      | U | C | Description  |
|---------------------------|---|---|--|
| I_SDR_EXT_SERVICE_OUTCOME |   |   | Ensures that the combinations of values that are stored in the dimension table are unique. |

Table SDR\_EXT\_SERVICE\_OUTCOME

---

Index I\_SDR\_EXT\_SERVICE\_OUTCOME

| Field                 | Sort      | Comment |
|-----------------------|-----------|---------|
| SERVICE_NAME          | Ascending |         |
| SERVICE_RESPONSE_CODE | Ascending |         |
| SERVICE_RESPONSE_DESC | Ascending |         |

Subject Areas

No subject area information available.