

# **GENESYS**

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Genesys Info Mart Physical Data Model for an Oracle Database

Table SDR LANGUAGE

# Table SDR\_LANGUAGE

# Description

**Introduced:** 8.5.001. Supported in Genesys Engage cloud deployments only. **Modified:** 8.5.010 (in Microsoft SQL Server, data type for LANGUAGE\_CODE and LANGUAGE NAME modified in single-language databases)

In partitioned databases, this table is not partitioned.

This dimension table enables Session Detail Record (SDR) facts to be described based on the language in which the call was conducted. Each row describes one language.

## Tip

To assist you in preparing supplementary documentation, click the following link to download a comma-separated text file containing information such as the data types and descriptions for all columns in this table: Download a CSV file.

**Hint:** For easiest viewing, open the downloaded CSV file in Excel and adjust settings for column widths, text wrapping, and so on as desired. Depending on your browser and other system settings, you might need to save the file to your desktop first.

# Column List

#### Legend

Column	Data Type	Р	M	F	DV
ID	NUMBER(10)	Χ	X		
LANGUAGE_COD	EVARCHAR2(50 CHAR)		X		NO_VALUE
LANGUAGE_NAM	EVARCHAR2(255 CHAR)		X		NO_VALUE

Column	Data Type	P	M	F	DV
CREATE_AUDIT_KENUMBER(19)		Χ	Χ		

#### ID

The primary key of this table.

## LANGUAGE CODE

**Modified:** 8.5.010 (in Microsoft SQL Server, data type modified in single-language databases) The language code that identifies the language, as defined in the application.

#### LANGUAGE\_NAME

**Modified:** 8.5.010 (in Microsoft SQL Server, data type modified in single-language databases) The name of the language identified by the LANGUAGE CODE, as defined in the application.

## CREATE\_AUDIT\_KEY

The surrogate key that is used to join to the CTL\_AUDIT\_LOG control table. The key specifies the lineage for data creation. This value can be useful for aggregation, enterprise application integration (EAI), and ETL tools — that is, applications that need to identify newly added data.

### Index List

CODE	U	С	Description
I_SDR_LANGUAGE	X		Ensures that the combinations of values that are stored in the dimension table are unique.

# Index I SDR LANGUAGE

Field	Sort	Comment
LANGUAGE_CODE	Ascending	
LANGUAGE_NAME	Ascending	

# Subject Areas

No subject area information available.