



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Genesys Info Mart Physical Data Model for a PostgreSQL Database

Table **BOT\_ATTRIBUTES**

# Table BOT\_ATTRIBUTES

## Description

**Introduced:** 8.5.015.19. Supported only in certain Genesys Engage cloud and on-premises deployments.

In partitioned databases, this table is not partitioned.

This dimension table enables Session Detail Record (SDR) bot session facts to be described based on attributes of the bot invoked by the Designer application. Each row describes one bot resource.

### Tip

To assist you in preparing supplementary documentation, click the following link to download a comma-separated text file containing information such as the data types and descriptions for all columns in this table: [Download a CSV file](#).

**Hint:** For easiest viewing, open the downloaded CSV file in Excel and adjust settings for column widths, text wrapping, and so on as desired. Depending on your browser and other system settings, you might need to save the file to your desktop first.

## Column List

### Legend

Column	Data Type	P	M	F	DV
ID	integer	X	X		
CREATE_AUDIT_KEY	numeric(19)		X	X	
NAME	varchar(255)		X		NO_VALUE
TYPE	varchar(32)		X		NO_VALUE
OUTCOME	varchar(32)		X		NO_VALUE

Table BOT\_ATTRIBUTES

Column	Data Type	P	M	F	DV
PROVIDER	varchar(255)		X		NO_VALUE

## ID

The primary key of this table.

## CREATE\_AUDIT\_KEY

The surrogate key that is used to join to the CTL\_AUDIT\_LOG control table. The key specifies the lineage for data creation. This value can be useful for aggregation, enterprise application integration (EAI), and ETL tools — that is, applications that need to identify newly added data.

## NAME

The name of the bot, as defined for the bot resource in the Bot Registry in Designer.

## TYPE

The type of bot, as defined for the bot resource in the Bot Registry. For example: Dialogflow.

## OUTCOME

Indicates whether the bot session succeeded or failed.

## PROVIDER

The bot service provider for the specified bot type. For example: Google.

## Index List

CODE	U	C	Description
I_BOT_ATTRIBUTES	X		Ensures that the combinations of values that are stored in the dimension table are unique.

Table BOT\_ATTRIBUTES

---

Index I\_BOT\_ATTRIBUTES

Field	Sort	Comment
NAME	Ascending	
TYPE	Ascending	
OUTCOME	Ascending	
PROVIDER	Ascending	

Subject Areas

No subject area information available.