



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Genesys Info Mart Physical Data Model for a Microsoft SQL Server Database

Table `CALLING_LIST_METRIC_FACT`

# Table CALLING\_LIST\_METRIC\_FACT

## Description

**Modified:** 8.5.015.19 (PRODUCER\_BATCH\_ID added)

In partitioned databases, this table is partitioned.

Each row represents a set of outbound campaign calling list metrics, calculated by Outbound Contact Server in configurable snapshots. Rows in this table are not updated; they are inserted or deleted only.

### Tip

To assist you in preparing supplementary documentation, click the following link to download a comma-separated text file containing information such as the data types and descriptions for all columns in this table: [Download a CSV file](#).

**Hint:** For easiest viewing, open the downloaded CSV file in Excel and adjust settings for column widths, text wrapping, and so on as desired. Depending on your browser and other system settings, you might need to save the file to your desktop first.

## Column List

### Legend

Column	Data Type	P	M	F	DV
CALLING_LIST_METRIC_FACT_KEY	numeric(19)	X	X		
TENANT_KEY	int		X	X	
CREATE_AUDIT_KEY	numeric(19)		X	X	
UPDATE_AUDIT_KEY	numeric(19)		X	X	
CAMPAIGN_KEY	int		X	X	

Table CALLING\_LIST\_METRIC\_FACT

Column	Data Type	P	M	F	DV
CALLING_LIST_KEY	int		X	X	
START_DATE_TIME_KEY	int		X	X	
CAMP_GROUP_SESSION_FACT_SDT_KEY	int			X	
CAMP_GROUP_SESSION_FACT_CU_KEY	numeric(19)			X	
GMT_TS	int				
TOTAL_RECORDS	int				
NOT_PROCESSED_RECORDS	int				
TOTAL_CONTACTS	int				
NOT_PROCESSED_CONTACTS	int				
ACTIVE_FLAG	numeric(1)				
PURGE_FLAG	numeric(1)				
PRODUCER_BATCH_ID	numeric(19)				

### CALLING\_LIST\_METRIC\_FACT\_KEY

The primary key of this table.

### TENANT\_KEY

The surrogate key that is used to join the TENANT dimension to the fact tables.

### CREATE\_AUDIT\_KEY

The surrogate key that is used to join to the CTL\_AUDIT\_LOG control table. The key specifies the lineage for data creation. This value can be useful for aggregation, enterprise application integration (EAI), and ETL tools — that is, applications that need to identify newly added data.

### UPDATE\_AUDIT\_KEY

The surrogate key that is used to join to the CTL\_AUDIT\_LOG control table. The key specifies the lineage for data update. This value can be useful for aggregation, enterprise application integration (EAI), and ETL tools — that is, applications that need to identify recently modified data.

### CAMPAIGN\_KEY

The surrogate key that is used to join the CAMPAIGN dimension to the fact tables.

### CALLING\_LIST\_KEY

The surrogate key that is used to join the CALLING\_LIST dimension to the fact tables.

### START\_DATE\_TIME\_KEY

Identifies the start of a 15-minute interval in which the fact began. Use this value as a key to join the fact tables to any configured DATE\_TIME dimension.

### CAMP\_GROUP\_SESS\_FACT\_SDT\_KEY

The value of the START\_DATE\_TIME\_KEY field of the record in the CAMPAIGN\_GROUP\_SESSION\_FACT table. On a partitioned database, CAMP\_GROUP\_SESS\_FACT\_SDT\_KEY in combination with CAMP\_GROUP\_SESSION\_FACT\_KEY forms a value of the composite primary key for the CAMPAIGN\_GROUP\_SESSION\_FACT table.

### CAMP\_GROUP\_SESSION\_FACT\_KEY

The value of the primary key of the CAMPAIGN\_GROUP\_SESSION\_FACT table.

### GMT\_TS

The GMT-equivalent date and time at which measurement occurred, as the number of seconds that have elapsed since midnight on January 1, 1970.

### TOTAL\_RECORDS

The total number of records in the calling list.

### NOT\_PROCESSED\_RECORDS

The total number of records in the calling list that are ready to be processed and that have never been processed as part of this calling list.

### TOTAL\_CONTACTS

The total number of contacts in the calling list (where a set of chained records for the same customer is considered to be one contact).

## NOT\_PROCESSED\_CONTACTS

The total number of contacts in the calling list that have not been processed (where a set of chained records for the same customer is considered to be one contact).

## ACTIVE\_FLAG

Indicates whether the calling list metric is currently active. Always 0.

## PURGE\_FLAG

This field is reserved.

## PRODUCER\_BATCH\_ID

**Introduced:** Release 8.5.015.19  
Reserved for internal use.

## Index List

CODE	U	C	Description
I_CLMF_SDT			Improves access time, based on the Start Date Time key.
I_CLMF_TNT			Improves access time, based on the Tenant.

### Index I\_CLMF\_SDT

Field	Sort	Comment
START_DATE_TIME_KEY	Ascending	

### Index I\_CLMF\_TNT

Field	Sort	Comment
TENANT_KEY	Ascending	

---

## Subject Areas

- **Calling\_List\_Metric** — Represents a snapshot of outbound campaign calling list metrics.
- **Facts** — Represents the relationships between subject area facts.