



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Genesys Mobile Services Deployment Guide

Configure DFMs in Load Balancing Deployment

4/16/2025

# Configure DFMs in Load Balancing Deployment

Included in your Installation Package (IP) are special configuration files, called DFMs, which are required for Orchestration Server-based services. These files define Genesys Mobile Services-specific SCXML constructs that are required for the execution of SCXML applications used within Orchestration Server-based services.


## Important

Starting 8.5.104, you must update the DFM files deployed locally with the latest version provided in the GMS Admin UI.

## Contents

- **1 Configure DFMs in Load Balancing Deployment**
  - **1.1 Simple HTTP Connection to a Load Balancer**
  - **1.2 Round Robin Connections**
  - **1.3 Modifying URL in HTTP transports**

## Simple HTTP Connection to a Load Balancer



HTTP\_simple connections can be set up in two cases:


- Simple connection to an internal load balancer.
- Simple connection to an external load balancer:
  - If you use a load balancer address external to the company network in the simple connection, the Orchestration Server (ORS) must be able to reach to the outside world (Internet) before it can "back" to the load balancer and further on to GMS instances.

```
<dfm name='gsgBasedServices' namespace='http://www.genesyslab.com/modules/dfm/
gsgBasedServices/v1'>
...
<connections>
<connection name='HTTP_simple' type='http' selectionmode='simple'>
<servers>
<server name='gsg' host='gms-lb' port='80' />
</servers>
</connection>
...
</dfm>
```

### Important

Using a load balancer address external to the company network implies extra hops to the Internet. Longer access times and security policies that allow ORS to go outside of the network might create downturns.

## Round Robin Connections



In the absence of an external load balancer or if the load balancer is external and you want to avoid extra hops to the internet (and/or deny ORS access to the outside internet), you can configure round robin connections. The round-robin connection type basically works as an internal load balancer whenever GMS services are being invoked by ORS. To implement this configuration, create round robin connections to each GMS node, as follows:

```
<connection name='HTTP_round_robin' type='http' selectionmode='round-robin'>
  <servers>
    <server name='gsg1' host='gms1' port='8080' />
    <server name='gsg2' host='gms2' port='8080' />
    <server name='gsg3' host='gms3' port='8080' />
  </servers>
</connection>
```

If you set up round robin connections, you can use the `conntype` attribute to control how ORS reaches GMS. You must set the `conntype` attribute for HTTP transports to `HTTP_round_robin` POST, and DELETE requests:

```
<transport name='HTTP_GET' conntype='HTTP_round_robin'>
```

---

### Important

ORS is not designed as a soft load balancer, thus does not handle GMS node failure in an optimal way. In addition, you must modify DFM files again, in case additional GMS nodes are added to the cluster, it does not make sense to use only a partial GMS cluster in the DFM configuration.

## Modifying URL in HTTP transports

You might need to modify the `url` parameter of various HTTP transports if you use an external load balancer that is configured to “hide” the GMS Admin UI (`/genesys/admin`) part of the URL.

```
<transport name='HTTP_GET' conntype='HTTP_round_robin'>
  <param name='method' expr='GET' />
  <param name='enctype' expr='application/x-www-form-urlencoded' />
  <param name='url' expr='/genesys/1/service/' />
</transport>
```