

# **GENESYS**

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

## Genesys Mobile Services API Reference

**Overview of Services** 

#### Contents

- 1 Overview of Services
  - 1.1 Genesys Mobile Services-based Services
  - 1.2 Orchestration Server-based Services
  - 1.3 Genesys Mobile Services Call Flows

### Overview of Services

This chapter provides a brief overview of the different services and call flows supported by Genesys Mobile Services. For additional details, please refer to appropriate pages below.

Note: For all types of services, the gms\_user HTTP Header is stored as part of the service data.

#### Genesys Mobile Services-based Services

These Services are executed in the Genesys Mobile Services server. They provide fixed functionality that can only be tuned through configuration options.

- Genesys Mobile Services-based Services
  - request-interaction
  - · match-interaction
  - · request-access
  - · request-chat

#### Orchestration Server-based Services

These Services are executed in the Orchestration server. They include sample services which can be altered and customized by a developer to meet specific customer requirements.

- Orchestration Server-based Services
  - Common Characteristics
  - request-inbound-immediate (Sample)
  - request-inbound-delay (Sample)
  - request-inbound-poll (Sample)
  - · request-inbound-delay-location
  - request-outbound-immediate (Sample)
  - request-outbound-delay
  - · request-outbound-poll
  - request-chat-delay

## Genesys Mobile Services Call Flows

The following link provides detailed call flow diagrams for the Services included with Genesys Mobile Services.

Call Flows