



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Conversation Rules Templates Guide

Configuration Prerequisites

12/19/2025

# Configuration Prerequisites

## Contents

- [1 Configuration Prerequisites](#)
  - [1.1 Genesys Composer](#)
  - [1.2 Configuration Options](#)

### Genesys Composer

The Conversation Rules template requires Genesys Composer release 8.1.300.89 at minimum.

### Configuration Options

The following configuration options must be set in order to use the Conversation Rules template:

#### Genesys Rules Engine

- `json-hierarchical-driver = true`

#### Genesys Rules Authoring Tool

These options control how GRAT connects to the Context Services REST API.

- `context-services-rest-api-protocol`—http or https
- `context-services-rest-api-host`—Host name
- `context-services-rest-api-port`—Port number
- `context-services-rest-api-base-path`—The base path

#### Contact Server

- `map-names = true`

When a rule package is deployed and `map-name` is set to `true`, the business attribute name is encoded in the rule package. With value `false`, the DBID is encoded in the rule package.

If the `map-name` option is changed on UCS at any time from rule authoring to deployment to actual operation, existing rule packages based on the Conversation Manager template must be redeployed.