



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Rules System Deployment Guide

Testing the Installation

Testing the Installation

Test the installation by logging in a user to the GRAT.

See **Configuring a User for the GRAT** to verify that the user has the correct permissions.

1. Start your web application container (Tomcat or WebSphere) on the server(s) that are hosting the GRAT and the GRE.
2. Open a web browser and enter the URL for the GRAT—for example **http://<host>:<port>/genesys-rules-authoring/login.jsp** (or **http://<host>:<port>/genesys-rules-authoring/singlesignon.jsp** if this is configured) where <host> is the name of the server on which the web container is running that is hosting the GRAT server, and <port> is the listening port for your web container (such as 8080). These are the same host and port that you entered in **Installing the GRDT Component**. The default name is **genesys-rules-authoring**, but you can override this name during deployment.
3. On the login screen, enter the credentials for a user to login to the GRAT. Users who log into the GRAT must have access to one or more tenants in a multi-tenant environment, with, at minimum, Read permission to the tenant(s). In addition, users or access groups must have, at a minimum, Read and Execute permissions to this GRAT client Application object in Configuration Server, in order to log in to the GRAT.