



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Rules System REST API Reference Guide

[Create Snapshot](#)

12/20/2025

Contents

- 1 Create Snapshot
 - 1.1 Method
 - 1.2 Syntax
 - 1.3 Request Body
 - 1.4 Response Body
 - 1.5 HTTP Status Codes
 - 1.6 Notes

Create Snapshot

Method

POST

Syntax

/grs/v1/tenant/{tenantId}/package/{packageId}/snapshot

Request Body

```
{
  "name": "Snap 01",
  "comment": "Create prior to QA",
}
```

Response Body

```
{
  "snapshotId", "dcc4a39b-3442-4408-a907-b85c44663681",
  "name": "Snap 01",
  "comment": "Create prior to QA",
  "createDate": 30949200000,
}
```

HTTP Status Codes

- 201 - Created - Response body provided
- 401 - Unauthorized - APIToken not valid
- 403 - Forbidden - User does not have permission for the specified tenant, or does not have proper permission to perform this operation.
- 422 - Unprocessable Entity - Field Validation Error

Create Snapshot

```
{
  "message": "Validation Failed",
  "errors": [
    {
      "code" : "1000",
      "field" : "name",
      "message": "snapshot name is not valid"
    }
  ]
}
```

- 422 - Unprocessable Entity - Rules in package do not validate

```
{
  "message": "Package Validation Failed",
  "errors": [
    {
      "message": "Validation error 1"
    },
    {
      "message": "Validation error 2"
    }
  ]
}
```

Notes

User must have SNAPSHOT_CREATE permission.

- name—Snapshot name cannot contain special characters such as: { } [] . * | / : < > ' & due to internal restrictions.