



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Rules System REST API Reference Guide

[Delete Package](#)

12/19/2025

Contents

- [1 Delete Package](#)
 - [1.1 Method](#)
 - [1.2 Syntax](#)
 - [1.3 Request Body](#)
 - [1.4 Response Body](#)
 - [1.5 HTTP Status Codes](#)
 - [1.6 Notes](#)

Delete Package

Warning

Before deleting a rule package, you should Undeploy it, which removes it from service from your GRE instances. Once a rule package is deleted, it cannot be undeployed via the API or via GRAT.

Method

DELETE

Syntax

`/grs/v1/tenant/{tenantId}/businessnode/{nodeId}/package/{packageId}`

Request Body

N/A

Response Body

N/A

HTTP Status Codes

- 204 No Content—Returned if successful operation
- 401 Unauthorized—APIToken not valid
- 403 Forbidden—User does not have permission for the specified tenant or does not have proper permission to perform this operation.
- 404 Not Found—Could not find specified package ID.
- 503—Service Unavailable

Delete Package

Notes

User must have PACKAGE_DELETE permission.