



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Rules System REST API Reference Guide

[Query Templates by Type](#)

12/14/2025

Contents

- [1 Query Templates by Type](#)
 - [1.1 Method](#)
 - [1.2 Syntax](#)
 - [1.3 Request Body](#)
 - [1.4 Response Body](#)
 - [1.5 HTTP Status Codes](#)
 - [1.6 Notes](#)

Query Templates by Type

Method

GET

Syntax

/grs/v1/tenant/{tenantId}/templates

Optional parms:

- &type=samples
- &maxVersions=3

Request Body

N/A

Response Body

```
{
  "templates":[
    {
      "name":"test",
      "version":1,
      "type":"iWD",
      "global":false,
      "changeComment":"Initial"
    },
    {
      "name":"ABC",
      "version":2,
      "type":"samples",
      "global":false,
      "changeComment":"Fixed bug"
    },
    {
      "name":"ABC",
      "version":1,
      "type":"samples",

```

```
        "global":false,
        "changeComment":"Initial"
    }
  ]
}
```

HTTP Status Codes

- 200 OK—Response body provided
- 401 Unauthorized—APIToken not valid
- 403 Forbidden—User does not have permission for the specified tenant.
- 503—Service Unavailable

Notes

By default, this query returns all versions (up to 100) of all templates published for the specified tenant that the logged in user has permission to view. To further filter, specify: `&type` and/or `&maxVersions` parameters.