

# **GENESYS**

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Genesys Rules System REST API Reference Guide

**Query Deployment History** 

#### Contents

- 1 Query Deployment History
  - 1.1 Method
  - 1.2 Syntax
  - 1.3 Request Body
  - 1.4 Response Body
  - 1.5 HTTP Status Codes
  - 1.6 Notes

# Query Deployment History

Method

GET

# Syntax

/grs/v1/tenant/{tenantId}/package/{packageId}/deploy

## Request Body

N/A

### Response Body

#### Up to 8.5.300

```
"deployments":[
{
    "deploymentId" : 34234,
    "packageVersion" : 1,
    "snapshotName":"Snap 01",
    "target", "GRECluster",
    "deployedBy", "username",
    "comments":"Deploy to QA servers",
    "deployScheduleDateTime": 34243432432,
    "status" : "SUCCESS"
}
```

#### From 8.5.301

```
"target": "GRECluster",
   "deployedBy": "username",
   "deployedFrom": "GRAT_INSTANCE_1",
   "comments": "Deploy to QA servers",
   "deployScheduledDateTime": 1453228140000,
   "status": "SUCCESS"
}
```

#### From 8.5.303

#### HTTP Status Codes

- 200 OK—Response body provided
- 401 Unauthorized—APIToken not valid
- 403 Forbidden—User does not have permission for the specified tenant.
- 404 Not Found—could not find specified package ID.

#### Notes

#### **Status**

- SUCCESS—deployment was successful
- FAILED—deployment failed
- PARTIAL—deployment was partially successful
- PENDING—deployment is still processing
- SCHEDULED—deployment is scheduled

# Operation

- DEPLOYED—deployment was successful
- UNDEPLOYED—undeployment was successful