

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Rules System Deployment Guide

Deploying .WAR Files

Deploying .WAR Files

Important

Make sure you have configured DAP connection parameters and JDBC drivers before deploying .WAR files.

The **genesys-rules-authoring.war** and **genesys-rules-engine.war** files must be copied or deployed to your web container. When the **.war** files have been deployed, you will be able to launch GRE and GRAT.

The .war files can be found in the destination folder that you specified when you installed the IPs.

- If you are using Tomcat, copy the files and paste them into the Tomcat **webapps** folder.
- If you are using WebSphere, deploy the .war files by using WebSphere Administrative Console.

Important

GRS 9.0 requires Java 8 and as a consequence of this requirement, you must deploy WebSphere Liberty—this is the only WebSphere application server that supports Java 8.

- Refer to your Tomcat documentation for specific deployment instructions.
- WebSphere 8.5 configuration information can be found **here**.
- WebSphere Liberty configuration information can be found here.

Genesys recommends using **the information here** to tune performance for GRE and GRAT. This may need to be adjusted based on your configuration and depending upon any other applications deployed to your application server.