



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Widgets Reference

CoBrowse

Contents

- **1 CoBrowse**
 - 1.1 Overview
 - 1.2 Deployment Notes

CoBrowse

- [Configuration](#)
- [Localization](#)
- [API Commands](#)
- [API Events](#)

Overview

The CoBrowse plugin allows for Genesys Widgets to interface with the Genesys Co-browse product and services to start and stop Co-browse sessions.

More information can be found on the [Genesys Co-browse](#) product page.

Deployment Notes

Blocking Pages from Agent View

Having the co-browse instrumentation removed from certain pages allows customers to block those pages from the agent view completely. In order to block certain pages, use one of the following methods:

Method 1: Do not configure co-browse on that page. CX Widgets only initializes and injects co-browse instrumentation when co-browse configuration is set.

Method 2: Override loaded plugins using configuration:

Examples

Normal pages

```
_genesys.widgets.main.plugins = ["cx-webchat", "cx-webchat-service", "cx-cobrowse"]
```

Bypass Cobrowse

```
_genesys.widgets.main.plugins = ["cx-webchat", "cx-webchat-service"]
```