



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Widgets Reference

Configuration

Contents

- [1 Configuration](#)
 - [1.1 Description](#)
 - [1.2 Example](#)
 - [1.3 Options](#)

Configuration

Description

Search reads its configuration from the subnode of the KnowledgeCenterService configuration namespace '_genesys.widgets.knowledgecenter.search'.

Example

```

window._genesys.widgets.knowledgecenter.search = {SearchButton: {
    enabled: true,
    template: <div class='cx-icon' data-icon='search'></div>,
    effect: 'fade',
    openDelay: 1000,
    effectDuration: 300
};
    }

```

Options

Name	Type	Description	Default	Required
SearchButton.enabled	boolean	Enable/disable search button on screen. Note: In case of running Widgets in lazy load mode, this option requires Search plugin to be pre-loaded	false	
SearchButton.template	string	Custom HTML string template for search button.	<div class='cx-widget cx-search-button cx-side-button' data-message='SearchButton' data-gcb-service-node='true'><span	

Name	Type	Description	Default	Required
			<pre>class='cx-icon' data- icon='search'></pre>	
SearchButton.effect	string	Type of animation effect when revealing chat button. 'slide' or 'fade'.	fade	
SearchButton.openDelay	number	Number of milliseconds before displaying chat button on screen.	1000	
SearchButton.effectDuration	number	Length of animation effect in milliseconds	300	