

# **GENESYS**

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Widgets Reference

WebChat

# Contents

- 1 WebChat
  - 1.1 Overview
  - 1.2 Usage
  - 1.3 Deployment Notes
  - 1.4 Customization
  - 1.5 Namespace
  - 1.6 Mobile Support
  - 1.7 Markdown Support
  - 1.8 Screenshots

| 🗢 Live Chat 🛛 🗕   | × |
|---|---|
| Knowledge Center<br>Hello and welcome! A Live agent will<br>be with you shortly. In the meantime,<br>can I assist you with any questions<br>you may have? Please type a<br>question into the input field below.<br>12:11 PM |   |
| "Agent will be with you shortly"<br>12:11 PM  |   |
| John Smith<br>Hi<br>12:12 PM  |   |
| Type your message here  |   |
| <b>☺</b> 500  | ő |
|   |   |

- Configuration
- Localization
- API Commands
- API Events

## Overview

The WebChat Widget allows a customer to start a live chat with a customer service agent. The UI appears within the page and follows the customer as they traverse your website. Customers can also initiate a Co-browse session with the agent directly from WebChat (Co-browse license and configuration required). Other features include minimize/maximize, auto-reconnect, and a built-in invite feature.

# Usage

WebChat can be launched manually by the following methods:

- Calling the command "WebChat.open"
- Configuring ChannelSelector to show WebChat as a channel
- Enable the built-in launcher button for WebChat that appears on the right side of the screen
- Create your own custom button or link to open WebChat (using the "WebChat.open" command)

# Deployment Notes

#### WebChat Configuration

Genesys WebChat utilizes the Genesys Mobile Services (GMS) Chat API v2. For the purposes of chat, GMS can be installed in Chat-only mode (without Cassandra).

#### Chat Service Configuration in GMS

In order to configure your chat service in GMS, please follow these instructions.

#### Important

The GMS configuration section referring to your chat service must follow the Chat v2 conventions. For example, if you want a chat service called "mychatservice", your configuration section must be called "chat.mychatservice" (not "service.mychatservice", as was the case for Chat v1 services).

For more information on configuring chat support in GMS, please see the following links:

- Chat API Version 2
- Setting Chat Dependencies
- Configuration Options Reference

#### Can I modify the Chat Registration Form?

Yes, the Chat Registration Form is customizable by defining your own form elements, thus bypassing the default registration form. For implementation, see Customizable Chat Registration Form.

# Customization

All static text shown in the WebChat Widget is fully customizable and localizable by adding entries into your configuration and localization options.

WebChat supports Themes. You may create and register your own themes for Genesys Widgets.

### Namespace

The WebChat plugin has the following namespaces tied-up with each of the following types.

| Туре                              | Namespace   |
|-----------------------------------|-------------|
| Configuration                     | webchat     |
| i18n - Localization               | webchat     |
| CXBus - API Commands & API Events | WebChat     |
| CSS                               | .cx-webchat |

# Mobile Support

WebChat supports both desktop and mobile devices. Like all Genesys Widgets, there are two main modes: Desktop & Mobile. Desktop is employed for monitors, laptops, and tablets. Mobile is employed for smartphones. When a smartphone is detected, WebChat switches to special full-screen templates that are optimized for both portrait and landscape orientations.


Switching between desktop and mobile mode is done automatically by default. You may configure Genesys Widgets to switch between Desktop and Mobile mode manually if necessary.

# Markdown Support

Starting in Genesys Widgets version 9.0.013.04, Markdown text formatting is supported in WebChat. Our implementation follows the CommonMark spec. Please review the syntax rules and available formatting.


#### Example

| De de Themas | # This is a title!   |             |
|--------------|--|-------------|
| Dark Theme   | This is some *emphasized<br>text* and some **strongly<br>emphasized text** | Light Theme |



# Screenshots

#### "Dark" Theme



Desktop docked view showing form



Mobile fullscreen view in portrait orientation showing form



Mobile fullscreen view in Landscape orientation showing form



Desktop docked view showing transcript



Mobile fullscreen view in portrait orientation showing transcript



Mobile fullscreen view in landscape orientation showing transcript

#### "Light" Theme

| First Name | Paquind  |  |
|------------|----------|--|
| Lest Name  | Required |  |
| Ernal      | Optional |  |
| Subject    | Optional |  |

Desktop docked view showing form



Mobile fullscreen view in portrait orientation showing form

|           |           | -        |
|-----------|-----------|----------|
| for the s | Bergareal |          |
| -         | Regional  |          |
| -         | Optional  |          |
| htps:/    | Optional  |          |
|           |           | Acres 10 |
|           |           |          |

Mobile fullscreen view in Landscape orientation showing form



Desktop docked view showing transcript

|      | 1.000  |  |
|------|--|--|
| 1    | 1997-199<br>198 - Torrison Constanting and the second second<br>1997 - 1 |  |
|      |  |  |
|      |  |  |
| 1994 | ner herrege hans   |  |
| 0    | A 10 -   |  |

Mobile fullscreen view in portrait orientation showing transcript



Mobile fullscreen view in landscape orientation showing transcript

## Important

You may choose to apply different colors/themes to your widgets, and you can visit Styling the Widgets to find out how.