



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# API Reference

Genesys Web Engagement API Reference

# Genesys Web Engagement API Reference



**Purpose:** To list the Reference Guides available for Genesys Web Engagement

## Contents

- [1 Genesys Web Engagement API Reference](#)
  - [1.1 Monitoring JavaScript Reference](#)
  - [1.2 Monitoring DSL Reference](#)
  - [1.3 History REST Reference](#)

## Monitoring JavaScript Reference

You can use this JavaScript Reference to define Business Events sent by your web pages to the Web Engagement Frontend Server. These events are independent from the set of conditions and definitions used to create events with the Monitoring DSL Reference. See [Monitoring JavaScript Reference](#).

## Monitoring DSL Reference

You can use the [Monitoring DSL Reference](#) to define conditions which enable the Web Engagement Monitoring Agents to submit BUSINESS events to the Web Engagement Frontend Server.

- To learn more about the Monitoring Agent, see [Architecture](#).
- To learn more about the Advanced Model, which include DSL event conditions and definitions, see [Advanced Engagement](#).

## History REST Reference

You can use the History REST Reference to create REST queries and access data stored in the Genesys Web Engagement Backend Server. The Backend Database stores all the histories related to the customers visits: events, visited pages, sessions, user information. See [History REST](#) for further details.