



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

API Reference

Query event

Query event

Contents

- [1 Query event](#)
 - [1.1 Description](#)
 - [1.2 Request](#)
 - [1.3 Response](#)
 - [1.4 Example](#)

Description

The query event method retrieves a given event.

Request

Method	GET		
URL	/events/\${eventId}		
Parameters			
Name	Value	Mandatory	Description
\${eventId}	string	yes	Event identifier.

<references />

Response

The History REST API answers with HTTP codes for every request. The following table shows the correct response for a successful request. See [HTTP Response Codes and Errors](#) for further details on the possible codes that this request can return.

HTTP code	200
HTTP Title	OK
Body	Event

Example

The following operation retrieves a UserInfo event by its ID.

Request

<http://198.51.100.12:9081/backend/data/events/5cdca781-3fa3-11e2-ae5-00505625a04f>

Response

```
HTTP/1.1 200 OK
Date: Wed, 12 Dec 2012 15:48:08 GMT
Content-Type: application/json; charset=UTF-8
Date: Wed, 12 Dec 2012 15:48:08 GMT
Accept-Ranges: bytes
Server: Restlet-Framework/2.1.0
```

Query event

Content-Length: 587

```
{
  "eventID": "5cdca781-3fa3-11e2-ae5-00505625a04f",
  "category": "",
  "eventType": "SYSTEM", "eventName": "UserInfo",
  "serverTimestamp": 1354798164472, "browserPageID": "2D869014426A4CAA8FA5C0D7B8668D0A",
  "globalVisitID": "c93a19a1-45db-4d59-9c85-b637daea4a20",
  "url": "http://www.genesyslab.com/afu_FLS_intermediary.page?returnUrl=?", "timestamp": 1354798163915,
  "visitID": "f24c60f6-0728-4f3d-b8b4-1e7bad2dc8a3", "pageID": "5c911f90-3fa3-11e2-ae5-00505625a04f",
  "data": {
    "userID": "user@genesyslab.com", "sex": "male", "name": "user1", "age": 30
  }
}
```