



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# User's Guide

Reporting

12/19/2025

# Reporting

## Contents

- **1 Reporting**
  - 1.1 Pre-engagement Phase Reports
  - 1.2 Engagement Phase Reports

Genesys Web Engagement includes standard templates you can use for real-time interaction reporting. These templates report on the two kinds of interactions that GWE produces:

- **Pre-engagement phase interactions** are a specialized type of Open Media interaction called webengagement.
- **Engagement phase interactions** are chat or web callback interactions, depending on the selected channel.

To learn more about how to import the standard reporting templates into CCPulse+, see [Standard Reporting Templates](#). Note that you can also create customized reports from the statistical data produced by Genesys Web Engagement.

## Pre-engagement Phase Reports

Web Engagement includes the following reports based on pre-engagement phase interactions:

- Qualified webengagement interactions — The number of rules that are triggered on your website.
- Engaged webengagement interactions — The number of qualified interactions that meet the engagement strategy requirements.
- Accepted webengagement interactions — The number of engaged interactions that were accepted when a site visitor clicked the "accept" button on the engagement invite.

### Warning

Accepted interactions do not always start a chat or voice engagement interaction. For example, a site visitor may be redirected to a registration form after accepting an engagement invite. If the visitor closes this form, the engagement interaction will not start.

- Canceled webengagement interactions — The number interactions that are rejected when a site visitor clicked the "reject" button on the engagement invite.

### Warning

If an engagement invite is closed because it reaches the timeout limit, Web Engagement does not consider this a cancelled webengagement interaction. This is done to exclude cases where the site visitor never sees the engagement invitation — for example, when the visitor has multiple tabs open and the engagement invitation is not on the current tab.

- Failed webengagement interactions — The number of failed interactions. This includes both engaged and qualified interactions that failed because of any number of reasons, such as:
  - The interaction does not meet the engagement strategy requirements. For example, there may be no agents available to handle the interaction.
  - The interaction was triggered by a rule in test mode only.

- The interaction timed out.

### Important

You cannot filter Open Media interactions in Stat Server, which restricts some types of reports. For example, you cannot report the percentage of successful engagement attempts out of the total count of qualified Open Media webengagement interactions.

## Engagement Phase Reports

You can create engagement phase reports based on the number of processed interactions and the information contained within those interactions. The following are some engagement phase reports that can be collected from Web Engagement:

- The number of chat or web callback interactions that are triggered by Web Engagement and processed by an agent or group of agents.
- The percentage of chat or web callback interactions that are triggered by Web Engagement and processed by an agent.
- The number of chat or web callback interactions that are triggered by a specific Web Engagement rule and processed by an agent or group of agents.
- The percentage of chat or web callback interactions that are triggered by a specific Web Engagement rule and processed by an agent.