

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

API Reference

Query sessions by visit

Query sessions by visit

Contents

- 1 Query sessions by visit
 - 1.1 Description
 - 1.2 Request
 - 1.3 Response

API Reference 2

Description

This method retrieves the sessions for a given visit.

Request

Method	GET		
URL	/visits/ \${visitId} /sessions		
Parameters			
Name	Value	Mandatory	Description
\${visitId}	string	yes	visit identifier.
identityId	string	no	ID of the identity associated with the returned sessions.
age	integer	no	Sessions' maximum age in seconds. Older sessions will not be returned.
include_pages	• true • false	no	If true, the returned sessions contain the reference list of the associated pages.
include_pages_detail	true(if include_pag es=true)false	no	If true, the returned sessions contain the associated pages. You can only use this parameter if include_pages is set to true.
include_events	• true • false	no	If true, the returned sessions contain the reference list of associated events.
include_events_detail	true (if include_events= true)false	no	If true, the returned sessions contain the associated events. You can only use this parameter if include_events is set to true.

API Reference 3

Response

The History REST API answers with HTTP codes for every request. The following table shows the correct response for a successful request. See HTTP Response Codes and Errors for further details on the possible codes that this request can return.

HTTP code	200
HTTP Title	OK
Body	JSON Array of Session resources.

API Reference 4