



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

API Reference

[Query visit](#)

Query visit

Contents

- [1 Query visit](#)
 - [1.1 Description](#)
 - [1.2 Request](#)
 - [1.3 Response](#)

Description

This method retrieves a given visit.

Request

| Method | GET | | |
|-------------------------|--|-----------|--|
| URL | /visits/\${visitId} | | |
| Parameters | | | |
| Name | Value | Mandatory | Description |
| \${visitId} | string | yes | Visit identifier. |
| include_sessions | <ul style="list-style-type: none">truefalse | no | If true, the returned visit contains the reference list of authentication sessions. |
| include_sessions_detail | <ul style="list-style-type: none">true (if include_session s=true)false | no | If true, the returned visit contains the associated authentication sessions. You can only use this parameter if include_sessions is set to true. |
| include_pages | <ul style="list-style-type: none">truefalse | no | If true, the returned visit contains the reference list of the associated pages. |
| include_pages_detail | <ul style="list-style-type: none">true (if include_pages=true)false | no | If true, the returned visit contains the associated pages. You can only use this parameter if include_pages is set to true. |
| include_events | <ul style="list-style-type: none">truefalse | no | If true, the returned visit contains the reference list of associated events. |
| include_events_detail | <ul style="list-style-type: none">true (if include_events=true)false | no | If true, the returned visit contains the associated events. You can only use this parameter if include_events is set to true. |

Response

The History REST API answers with HTTP codes for every request. The following table shows the correct response for a successful request. See [HTTP Response Codes and Errors](#) for further details on the possible codes that this request can return.

| | |
|-------------------|------------------------|
| HTTP code | 200 |
| HTTP Title | OK |
| Body | Visit. |