



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Deployment Guide

web Section

12/19/2025

web Section

Contents

- 1 web Section
 - 1.1 staticResourcesCacheControl
 - 1.2 staticResourcesCacheControlPattern
 - 1.3 cors.allowedOrigins
 - 1.4 cors.allowedHeaders
 - 1.5 cors.allowedMethods
 - 1.6 cors.urlMapping
 - 1.7 jsonp.whiteList

staticResourcesCacheControl

Description: Define configuration of cache-control header for static web resources.

Default Value: public, max-age=1800

Valid Values: any values that follow the cache-control header specification, such as:

1. Deny request caching: private, no-cache, no-store, max-age=0
2. Allow request caching for 1800 seconds: public, max-age=1800

For more information, refer to: <http://www.w3.org/Protocols/rfc2616/rfc2616-sec13.html> and <http://www.w3.org/Protocols/rfc2616/rfc2616-sec14.html>.

Mandatory: No

Changes Take Effect: After server restart

staticResourcesCacheControlPattern

Description: This regular expression defines the url pattern of static resources that should be affected by the behavior prescribed by the **staticResourcesCacheControl** option.

Default pattern: ^(http)://.*\$

- The default pattern means "all static resources accessed through the http schema."
- The wildcard .* means "all static resources."

Valid Values: any valid regular expression that describes the path to the static resource(s).

Mandatory: No

Changes Take Effect: After server restart

Option introduced in 8.5.000.43

cors.allowedOrigins

Description: A comma-separated list of origins that are allowed to access the resources. The default value is *, meaning all origins. If an allowed origin contains one or more * characters (for example http://*.domain.com), then * characters are converted to .*, . characters are escaped to \., and the resulting allowed origin is interpreted as a regular expression. Allowed origins can therefore be more complex expressions such as https?:/*.*.domain.[a-z]{3}, which matches either http or https, multiple subdomains, and any 3 letter top-level domain, such as .com, .net, or .org.

Default Value: *

Valid Values: See the explanation in the description.

Mandatory: No

Changes Take Effect: After server restart

cors.allowedHeaders

Description: A comma-separated list of HTTP headers that are allowed to be specified when accessing the resources. If the value is a single *, this means that any headers will be accepted.

Default Value: x-requested-with, content-type, accept, origin, authorization, cookie

Valid Values: comma-separated list of HTTP headers

Mandatory: No

Changes Take Effect: After server restart

`cors.allowedMethods`

Description: A comma separated list of HTTP methods that are allowed to be specified when accessing the resources.

Default Value: GET, POST, OPTIONS, HEAD, DELETE

Valid Values: Comma-separated list of valid HTTP methods

Mandatory: No

Changes Take Effect: After server restart

Option introduced in 8.5.000.29

`cors.urlMapping`

Description: Defines a filter mapping with the given URL patterns and dispatcher types for the CORS Filter.

Default Value: *

Valid Values: Any string that contains a URL mapping parameter that follows the Servlet 3.0 mapping specification (chapter 12.2 Specification of Mappings), as documented at

http://download.oracle.com/otn-pub/jcp/servlet-3.0-fr-eval-oth-JSpec/servlet-3_0-final-spec.pdf?AuthParam=1442871239_ec11f8b00a7ffbc532fdc10df90e5c10

Mandatory: No

Changes Take Effect: After server restart

`jsonp.whiteList`

Description: Defines a white list of regular expressions that specify the object and callback names allowed for JSONP requests.

Default Value: `^_gt\.setCategory$, ^_gt\.setDSL$, ^jQuery\d*_\d*$`

Valid Values: A comma-delimited list of regular expressions, each of which specifies the name of one of the allowed callback functions. These names normally have a format of **obj.callback**.

Mandatory: No

Changes Take Effect: After server restart

Option introduced in 8.5.000.42