



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Developer's Guide

Dynamic Multi-language Localization Application Sample

5/5/2025

Dynamic Multi-language Localization Application Sample

Contents

- [1 Dynamic Multi-language Localization Application Sample](#)
 - [1.1 Prerequisites](#)
 - [1.2 Creating multilingual categories](#)
 - [1.3 Dynamically adding the language in the instrumentation script](#)
 - [1.4 Parsing the address of the page and switching the invitation text](#)
 - [1.5 Localized widgets examples](#)

Prerequisites

- Use the latest version of Genesys components.

Creating multilingual categories

Create one or more categories by following the instructions in [Creating a Category](#).

Important

All tags for multi-language categories must have a different expression.

Dynamically adding the language in the instrumentation script

The language code is transmitted as a URL parameter. You can pass a language code as part of the URL or you can set the code statically.

Here is an example of the code as part of the URL:

```
http://<Web Engagement Server host>:<Web Engagement Server port>/multi/  
main.jsp?title=◆◆&language=zh-CN
```

Placing the language code in the instrumentation script allows you to localize the registration form and chat. To do this, complete the following:

1. [Add Localization Files to Your Web Engagement Application](#).
2. Add the language code to your instrumentation script.

The following example shows how to add the language code to your instrumentation script:


```
<% String title = request.getParameter("title"); %>  
<% String langCode = request.getParameter("language"); %>  
<title><%=title%></title>  
<script>  
  var _gt = _gt || [];  
  _gt.push(["config", {  
    "name" : "multi",  
    "domainName" : "<domain name of your website>",  
    "server" : "432",  
    "languageCode" : "<%=langCode%>",  
    "dslResource" : "<Web Engagement Server host>:<Web Engagement Server port>/server/  
resources/dsl/domain-model.xml",
```

```
"secureDslResource" : "<Web Engagement Server host>:<Web Engagement Server secure
port>/server/resources/dsl/domain-model.xml",
"httpEndpoint" : "<Web Engagement Server host>:<Web Engagement Server port>",
"httpsEndpoint" : "<Web Engagement Server host>:<Web Engagement Server secure port>"
});
(function () {
  var gt = document.createElement("script");
  gt.setAttribute("async", "true");
  gt.src = ("https:" == document.location.protocol ? "<Web Engagement Server host>:<Web
Engagement Server secure port>" :
"<Web Engagement Server host>:<Web Engagement Server port>") + "/server/resources/js/
build/GTC.min.js";
  (document.getElementsByTagName("head")[0] || document.body).appendChild(gt);
})();
</script>
```


Parsing the address of the page and switching the invitation text

You can get the language code from the page address in the strategy. The page address is passed to the strategy when the rule is triggered and an invitation is generated.


The `event_url` variable is declared and initialized in the `default.workflow` strategy:



The `event_url` variable is then transmitted to the `engage.workflow` strategy:



The following shows the description of the entering variable in the event_url in the engage.workflow strategy:



The following example shows fetching the language code of the URL address and switching the labels in the FullfillEngagementProfile ECMA Script block in the engage.workflow strategy:

```
var language=event_url.substr(-5);
```

```
var invitation=" Would you like some help with the selection? Our technical experts are
available to answer questions.";
var acceptBtnText= 'Chat1';
var acceptBtnVoice='Call Me';
var cancelBtnText = 'No Thanks';
var greetingDefault = 'Hello!';
var greetingMorning = 'Good morning!';
var greetingEvening = 'Good evening!';
var greetingAfternoon = 'Good afternoon!';
var titleChat = 'Chat';
var titleVoice = 'Voice';

switch (language)
{
case "zh-CN":
    invitation=" 您是否需要一些帮助来选择合适的选项? 我们的技术专家是
    可用以回答您的问题。";
    acceptBtnText= '聊';
    cancelBtnText = '不,谢谢';
    acceptBtnVoice='打电话';
    greetingDefault = '您好!';
    greetingMorning = '早上好!';
    greetingEvening = '晚上好!';
    greetingAfternoon = '下午好!';
    titleChat = '聊';
    titleVoice = '语音';
    break;
case "en-US":
    invitation=" Would you like some help with the selection? Our technical experts are
    available to answer questions.";
    acceptBtnText= 'Chat';
    cancelBtnText = 'No Thanks';
    acceptBtnVoice='Call Me';
    greetingDefault = 'Hello!';
    greetingMorning = 'Good morning!';
    greetingEvening = 'Good evening!';
    greetingAfternoon = 'Good afternoon!';
    titleChat = 'Chat';
    titleVoice = 'Voice';
    break;
case "fr-FR":
    invitation=" Voulez-vous un peu d'aide avec la sélection? Nos experts techniques sont
    disponibles pour répondre aux questions.";
    acceptBtnText= "T'Chat";
    cancelBtnText = 'Non Merci';
    acceptBtnVoice='appelez-moi';
    greetingDefault = 'Bonjour!';
    greetingMorning = 'Bonjour!';
    greetingEvening = 'Bonne soirée!';
    greetingAfternoon = 'Bon après-midi!';
    titleChat = "T'Chat";
    titleVoice = 'voix';
    break;
case "ja-JP":
    invitation=" 您是否需要一些帮助来选择合适的选项? 我们的技术专家是
    可用以回答您的问题。";
    acceptBtnText= 'チャット';
    cancelBtnText = 'いいえ、谢谢';
    acceptBtnVoice='電話';
    greetingDefault = 'こんにちは!';
    greetingMorning = 'おはようございます!';
    greetingEvening = 'こんばんは!';
    greetingAfternoon = 'こんにちは!';
    titleChat = 'チャット';
    titleVoice = '音声';
```

```
        break;
    }

    var channelName = titleChat;
    var acceptBtnCaption = acceptBtnText;
    var cancelBtnCaption = cancelBtnText;
    if (channelType == 'proactiveCallback') {
        channelName = titleVoice;
        acceptBtnCaption = acceptBtnVoice;
    }

    var greeting = 'Hello!';
    if (event_timeStamp != ) {
        realLocalTime = event_timeStamp - event_timezoneOffset + (new
Date()).getTimezoneOffset()*60000;
        var date = new Date(realLocalTime);
        var hours = date.getHours();
        if (hours < 6) {
            greeting = greetingDefault;
        } else if (hours < 12) {
            greeting = greetingMorning;
        } else if (hours < 17) {
            greeting = greetingAfternoon;
        } else {
            greeting = greetingEvening;
        }
    }

    var engageProfile = {
        'visitID': event.visitID,
        'nick_name': profile.FirstName,
        'first_name': profile.FirstName,
        'last_name': profile.LastName,
        'subject': channelName,
        'message': greeting + invitation,
        'time_zone_offset': 8,
        'wait_for_agent' : false,
        'routing_point': sipRoutingPoint,
        'ixn_type': channelType,
        'pageID': event.pageID,
        'inviteTimeout': 30,
        'acceptBtnCaption': acceptBtnCaption,
        'cancelBtnCaption': cancelBtnCaption
    };
};
```

Localized widgets examples

Implementing the code above will result in localized versions of the Web Engagement widgets. For example, if the language is Japanese, the text in the widgets would appear as follows:

Engagement invitation:

チャット



こんばんは！ あなたは選択をいくつかの助けをしたい？ 当社の技術専門家が質問に答えることが可能です。

チャット

いいえおかげん

Registration form:

Genesys Chat - Mozilla Firefox

demorsv.genesyslab.com:8081/frontend/resources/registration.html?



あなたの連絡先の詳細を入力してください、とチャットスタートボタンをクリックします。

次に使用可能な顧客担当者は、まもなくあなたと一緒にになります

ファーストネーム:


姓:

メール:

チャットを開始

登録をスキップ

Chat:



Interaction Workspace:

