



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

API Reference

HTTP Response Codes and Errors

HTTP Response Codes and Errors

Contents

- [1 HTTP Response Codes and Errors](#)
 - [1.1 Successful Result](#)
 - [1.2 Errors](#)

The Genesys Web Engagement Server returns HTTP status codes and messages for every operation, in the requested format. Status codes match [standard HTTP codes](#), but messages can differ and provide additional details included in the header of the response.

Important

Additional results and error codes may be returned due to external web servers and layers involved in your operations.

Successful Result

A successful response to a request is marked by HTTP Status Code 200 (OK). In that case, your application may get additional information in the header and the body of the response. Refer to the Response section of your operation's page to get the detailed list of returned information. The following table lists the [standard HTTP codes](#) used by Genesys Web Engagement Server for a successful response.

Code	Title	Description
200	OK	Success!
204	No Content	For "filtered collection read" requests only. The request was correct and successful but the server has no appropriate entities to return.

Errors

For responses with HTTP status code 4xx or 5xx, the response body contains an application-specific description of the error instead of a representation of the requested resource. The following table lists the specific errors that operations can encounter. This list is not restrictive; additional error codes could be returned due to external web servers and layers involved:

Code	Title	Description
400	Bad Request	General error which could be caused by: <ul style="list-style-type: none">• Missing required parameter.• Parameter value of unexpected type.
401	Not Authorized	Credentials are missing or incorrect, or the given user is not allowed to execute a given

Code	Title	Description
		service (such as an administrative service method that changes the profile schema). See Basic Access Authentication .
403	Forbidden	The operation is forbidden and the reason is specified in the error message.
404	Not Found	For "identified entity read" request only. The specified URI is invalid, or the requested resource (such as identity, visit, event, and so on) does not exist.
500	Internal Server Error	An unexpected error occurred in the Web Engagement Server (for instance, a runtime exception). The error message suggests you forward logs to Genesys Customer Care.
502	Bad Gateway	Returned when one or more of the systems required to fulfill the response (the Cassandra database or the Genesys environment, for example) are either unavailable or returned an error.
503	Service Unavailable	Web Engagement Server is unable to process the given request. Example situations include: <ul style="list-style-type: none"> • Too many requests.