



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Developer's Guide

Testing with ZAP Proxy

9/15/2025

Testing with ZAP Proxy

The ZAP Proxy is a development tool that allows you to test your application without adding the JavaScript tracking code to your website. Once you have configured this proxy, you can launch it and start the Genesys Web Engagement servers to start testing your application by emulating a visit on your website. In a few clicks, without modifying your website, Genesys Web Engagement features will show up on a set of web pages, according to the rules and categories that you created.

There are two proxy tools available in the Genesys Web Engagement installation: Simple and Advanced. See the appropriate tabs below for details and configuration information.

Simple ZAP Proxy

To use the Simple ZAP Proxy, you must first complete a few procedures to configure the tool and your web browser.

Getting the ZAP Proxy Port

Complete this procedure to retrieve the ZAP Proxy port, which you will need later when you configure your web browser.

Start

1. Navigate to **C:\Users\current user\ZAPProxy**.
If this folder does not exist, navigate to your Web Engagement installation directory and launch **proxy.bat** (on Windows) or **proxy.sh** (on Linux). The **ZAPProxy** folder appears automatically.
2. Edit **config.xml** and find the **<proxy>** tag.
3. Check that the value of the **<ip>** tag is set to your host IP address.
Note: You cannot use 127.0.0.1 or localhost for this value.
4. Note the value of the **<port>** tag (usually 15001).
5. Save your changes.

End

Configuring the Proxy

Important

The proxy configuration file will appear after you deploy your Web Engagement application. Also, note that the **playground** application does not include a proxy configuration file (instead it contains the entire website).

Start

1. Navigate to the **\tools\proxy\plugin** folder inside your Web Engagement installation directory.
2. Open the configuration file, which is called **FilterMultiReplaceResponseBody.xml**.
3. Change **<enable>false</enable>** to **<enable>true</enable>**.

End

Starting the Proxy

Navigate to your Web Engagement installation directory and launch **proxy.bat** (on Windows) or **proxy.sh** (on Linux). The Simple ZAP Proxy starts.

[illegible]


The Simple ZAP Proxy

Setting Up your Web Browser

Configure your web browser to use the Simple ZAP Proxy.

Start

1. Start your web browser.
2. Open your Internet settings. For instance, in Mozilla Firefox, select **Tools > Options**. The **Options** dialog window appears.
3. Select **Advanced**, and in the **Network** tab click **Settings...** The **Connection Settings** dialog windows appears.
4. Select the **Manual proxy configuration** option:
 - Enter your host IP address in the **HTTP** proxy text box.
 - Enter the port used by the ZAPProxy in the **Port** text box. This is the value you retrieved in [Getting the ZAPProxy Port](#).
 - Select the option **Use this proxy server for all protocols**.



ZAPProxy used in Firefox

5. Click **OK**. Now your browser is set up for the ZAP Simple Proxy. To use the proxy, all you need to do is navigate to the site where you want the proxy to inject the Web Engagement instrumentation script and browse through the web pages.


End

Advanced ZAP Proxy

The Advanced ZAP Proxy is based on the [OWASP Zed Attack Proxy Project](#) (ZAPProxy). In addition to acting as a proxy, the Advanced ZAP Proxy also provides a UI and validates vulnerabilities in your website at the same time. To use the Advanced ZAP Proxy, you must first complete a few procedures to configure the tool.

Starting the Proxy

Navigate to your Web Engagement installation directory and launch **tools\proxy\zap.bat** (on Windows) or **tools\proxy\zap.sh** (on Linux). The proxy starts.




The Advanced ZAP Proxy

Configuring the Proxy

Once the proxy is running, you can configure it using the GUI.


Start

1. Open **Tools > Filter...**



Select the Filter menu item.

2. In the list of filters, select **Replace HTTP response body using multiple patterns** and click ... to edit the filter.



Select the filter.

3. Click **Add** and enter the following information:

- Pattern - `</head>`
- Replace with -

```
<script>
var _gt = _gt || [];
_gtag.push(['config', {
  dslResource: ( 'https:' == document.location.protocol ? 'https://' : 'http://' ) + '<Web Engagement Server host>:<Web Engagement Server port>' :
  '<Web Engagement Server host>:<Web Engagement Server port>' ) + '/server/api/resources/v1/dsl/domain-model.xml',
  httpEndpoint: '<Web Engagement Server host>:<Web Engagement Server port>',
  httpsEndpoint: '<Web Engagement Server host>:<Web Engagement Server secure port>'
}]);
</script>
```



```
var _gwc = {
  widgetUrl: ( 'https:' == document.location.protocol ? 'https://' : '<Web Engagement Server
  host>:<Web Engagement Server port> :
  '<Web Engagement Server host>:<Web Engagement Server port>') + '/server/api/resources/v1/
  chatWidget.html'
};
(function(gpe, gwc) {
  if (document.getElementById(gpe)) return;
  var s = document.createElement('script'); s.id = gpe;
  s.src = ( 'https:' == document.location.protocol ? 'https://' : '<Web Engagement Server
  host>:<Web Engagement Server port>' :
  '<Web Engagement Server host>:<Web Engagement Server port>') + '/server/resources/js/
  build/GPE.min.js';
  s.setAttribute('data-gpe-var', gpe);
  s.setAttribute('data-gwc-var', gwc);
  (document.getElementsByTagName('head')[0] || document.body).appendChild(s);
})('_gt', '_gwc');
</script>
</head>
```

4. Click **OK** to save the pattern.
5. If you need to check or update the ZAP port address, open **Tools > Options...** and review the **Local proxy** section.


End

Configuring the URL Filter

Complete this procedure to use the GUI to configure URLs that the proxy should ignore.


Start You can exclude a site in one of two ways:

- In the **Sites** tab, right-click on a site and select **Exclude from > Proxy**.



Select a site to exclude

- Select **File > Properties**. In the Session Properties window, select **Exclude from proxy**, add your URL, and click **OK**.




Enter a URL to exclude.

- If you want the proxy to remember the excluded URLs beyond the current session, select **File > Persist session...** and select a file to save your session.

End

Working with the Proxy

After you have configured the proxy, keep it open and open up a web browser. Now you can browse through your web pages that are instrumented with Genesys Web Engagement and they will be displayed in the **Sites** tab of the proxy GUI:



Your instrumented pages show up in the **Sites** tab

For more information about working with ZAPProxy, see https://www.owasp.org/index.php/OWASP_Zed_Attack_Proxy_Project.

Security Testing with ZAPProxy

Genesys performs security testing with **OWASP Zed Attack Proxy** (ZAPProxy) to make sure the Genesys Web Engagement solution is invincible to known attacks.

ZAP Overview

The ZAP Proxy is an easy-to-use, integrated penetration testing tool for finding vulnerabilities in websites and web applications.

Among others, ZAP Proxy supports the follow methods for penetration security testing:

- [passive scan](#)
- [active scan](#)

Genesys uses both methods.

Passive Scan Overview

ZAP is an Intercepting Proxy. It allows you to see all of the requests made to a website/web app and all of the responses received from it. For example, you can see AJAX calls that might not otherwise be obvious.

Once set up, ZAP automatically passively scans all of the requests to and responses from the web application being tested.

While mandatory use cases for the application that is being tested are followed (either manually or automatically), ZAP Proxy analyzes the requests to verify the usual operations are safe.

Active Scan Overview

Active scanning attempts to find potential vulnerabilities by using known web attacks against the selected targets. Active scanning is an attack on those targets. ZAP Proxy emulates known attacks when active mode is used.

Through active scanning, Genesys Web Engagement is verified against the following types of attacks:

- **Spider attack** — Automatically discovers all URL links found on a web resource, sends requests, and analyzes results (including src attributes, comments, low-level information disclosure, and so on).
- **Brute browsing** (based on the Brute Force technique) — Systematically makes requests to find secure resources based on known (commonly used) rules. For example, backup, configuration files, temporary directories, and so on.
- **Active scan** — Attempts to perform a predefined set of attacks on all resources available for the web resource. You can find the default set of rules [here](#).
- **Ajax spider** — Automatically discovers web resources based on presumed rules of AJAX control (JS scripts investigation, page events, common rules, dynamic DOM, and so on).

Important

Requests to other web applications must be excluded from scanning in order to see a report for a particular web application.

Important

Web applications that are being tested should be started on the local box because some types of verification (like active scanning) can be forbidden by network administrators.

References

If you want to examine your website against vulnerabilities in a similar way, refer to the [OWASP Zed Attack Proxy Project](#) or [other documentation](#) to learn about how to perform security testing with ZAP.