

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Web Services API Reference

Users API

Users API

Contents

- 1 Users API
 - 1.1 Attributes
 - 1.2 Operations

Attributes

| Attribute | Туре | Description | Access Level |
|-------------------------|-------------------------|---|--|
| userName | String | The user's e-mail address. | GET, POST, DELETE |
| password | String | The user's password (if allowed). | POST, PUT |
| firstName | String | The user's first name. | GET, POST, PUT |
| lastName | String | The user's last name. | GET, POST, PUT |
| roles | Array of Strings | User roles. Currently 'ROLE_ADMIN' and/or 'ROLE_AGENT'. Note that on PUT, the roles specified will be the new role set. It is not a "diff" operation. | GET, POST, PUT |
| skills | Array of Skill objects | The list of skills that are assigned to a user. | GET (subresources=* must be specified) |
| devices | Array of Device objects | The list of devices that are assigned to a user. | GET (subresources=* must be specified) |
| doNotDisturb | FlagV2 Enum | Denotes whether "Do Not Disturb" status is on or off for this user. | GET |
| changePasswordOnFirstLo | og B roolean | Possible values are True and False. If set to True, the user will be required to change their password when they log in. Default value is False. | GET, POST, DELETE |

Operations

The following operations are supported for the /users resource:

| Operation | Description | Permissions | Arguments |
|-----------|--|--|---|
| GET | Returns URIs for all agents in the contact center. | Contact Center AdminAgent | fields=*: Will return all fields for every user instead of URI. subresources=*: Will return all fields and all subresources (for |

| Operation | Description | Permissions | Arguments |
|-----------|-----------------|----------------------|--|
| | | | example, devices, skills) for every user. |
| POST | Creates a user. | Contact Center Admin | |

The following operations are supported for the $\mbox{/users/{id}}$ resource:

| Operation | Description | Permissions | Arguments |
|-----------|---------------------------------------|--|---|
| GET | Returns the user specified by the ID. | Contact Center AdminAgent | subresources=*: Will return all subresources (for example, devices, skills) assigned to the given user. |
| POST | Updates the user specified by the ID. | Contact Center AdminAgent | |
| DELETE | Deletes the user specified by the ID. | Contact Center AdminAgent | |