



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Web Services API Reference

Supervisor Monitoring

4/23/2025

Supervisor Monitoring

This operation is part of the [Chat API](#) section of the [Web Services API](#).

Contents

- [1 Supervisor Monitoring](#)
 - [1.1 Overview](#)
 - [1.2 Supervisor function configuration](#)
 - [1.3 Supervisor capabilities](#)
 - [1.4 Notifications](#)

Overview

Web Services API provides supervisor functions for chat. Supervisors can subscribe to one or all target agent's chats and join the next chat session with a specified visibility mode.

One supervisor can monitor multiple agents simultaneously and handle several chat sessions at the same time.

Monitoring can be cancelled by the supervisor or is ended on logout. If an agent being monitored is in a conference or consultation and leaves the session, the supervisor should leave chat manually.

Supervisor function configuration

The GWS option should be present in options to enable supervisor role.

```
[GWS]
roles=supervisor
```

Supervisor capabilities

A supervisor's capabilities to control chat sessions depends on the supervisor's current monitoring mode.

Monitor Mode	Coach Mode	Bargain Mode
• Leave • SwitchToCoach • SwitchToBargain	• Leave • SetInFocus • SetDisposition • AttachUserData • DeleteUserData • UpdateUserData • AddComment • Transfer • Invite • Consult • SendToAgents • SendStartTypingToAgentsNotification	• Leave • SetInFocus • SetDisposition • AttachUserData • DeleteUserData • UpdateUserData • AddComment • Transfer • Invite • Consult • SendToAgents • SendStartTypingToAgentsNotification

Monitor Mode	Coach Mode	BargeIn Mode
	• SendStopTypingToAgentsNotification • SwitchToMonitor • SwitchToBargeIn	• SendStopTypingToAgentsNotification • SendMessage • SendStartTypingNotification • SendStopTypingNotification • SwitchToMonitor • SwitchToCoach

Notifications

Chat is started

When an agent being monitored accepts a chat, the supervisor will immediately be added to the chat and receive `ParticipantsUpdated`, `StatusChange` and `MessageLogUpdated` notifications (see [Accept](#)).

```
{
  "chat": {
    "receivedDate": "2014-05-0511:08:45.000-0700",
    "chatType": "Inbound",
    "capabilities": [
      "Leave",
      "SetInFocus",
      "SetDisposition",
      "AttachUserData",
      "DeleteUserData",
      "UpdateUserData",
      "Transfer",
      "Invite",
      "Consult",
      "SendToAgents",
      "SendStartTypingToAgentsNotification",
      "SendStopTypingToAgentsNotification",
      "SwitchToMonitor",
      "SwitchBargeIn"
    ],
    "uri": "http://10.10.15.212:9090/api/v2/chats/0001Da9PFC93000S",
    "state": "Chatting",
    "participants": [
      {
        "nickname": "test_agent",
        "type": "Agent",
        "uri": "http://10.10.15.212:9090/api/v2/users/90cc5439ff6848748e5e67811273f266",
        "visibility": "All",
        "participantId": "00AF5367D3D0000A"
      },
      {
        "nickname": "test_supervisor",
        "type": "Agent",

```

```

        "uri": "http://10.10.15.212:9090/api/v2/users/
991a4bece8dd4184a93e98ad429694f6",
        "visibility": "Agents",
        "participantId": "00AF5367D3D0000B"
    },
    {
        "nickname": "test_clientL",
        "type": "Customer",
        "participantId": "00AF5367D3AD0008",
        "visibility": "All"
    }
],
    "id": "0001Da9PFC93000S"
},
    "notificationType": "ParticipantsUpdated",
    "messageType": "ChatStateChangeMessage"
}

{
    "chat": {
        "receivedDate": "2014-05-0511:08:45.000-0700",
        "chatType": "Inbound",
        "capabilities": [
            "Leave",
            "SetInFocus",
            "SetDisposition",
            "AttachUserData",
            "DeleteUserData",
            "UpdateUserData",
            "Transfer",
            "Invite",
            "Consult",
            "SendToAgents",
            "SendStartTypingToAgentsNotification",
            "SendStopTypingToAgentsNotification",
            "SwitchToMonitor",
            "SwitchBargeIn"
        ],
        "uri": "http://10.10.15.212:9090/api/v2/chats/0001Da9PFC93000S",
        "state": "Chatting",
        "participants": [
            {
                "nickname": "test_agent",
                "type": "Agent",
                "uri": "http://10.10.15.212:9090/api/v2/users/
90cc5439ff6848748e5e67811273f266",
                "visibility": "All",
                "participantId": "00AF5367D3D0000A"
            },
            {
                "nickname": "test_supervisor",
                "type": "Agent",
                "uri": "http://10.10.15.212:9090/api/v2/users/
991a4bece8dd4184a93e98ad429694f6",
                "visibility": "Agents",
                "participantId": "00AF5367D3D0000B"
            },
            {
                "nickname": "test_clientL",
                "type": "Customer",
                "participantId": "00AF5367D3AD0008",
                "visibility": "All"
            }
        ]
    }
}

```

```

    ],
    "id": "0001Da9PFC93000S"
  },
  "notificationType": "StatusChange",
  "messageType": "ChatStateChangeMessage"
}

{
  "messages": [
    {
      "index": 1,
      "from": {
        "nickname": "test_clientL",
        "type": "Customer",
        "participantId": "00AF5367D3AD0008",
        "visibility": "All"
      },
      "timestamp": "2014-05-0511: 08: 46.000-0700",
      "visibility": "All",
      "type": "ParticipantJoined",
      "timestampSeconds": 1399313326000L
    },
    {
      "index": 2,
      "from": {
        "nickname": "test_agent",
        "type": "Agent",
        "uri": "http://10.10.15.212:9090/api/v2/users/90cc5439ff6848748e5e67811273f266",
        "visibility": "All",
        "participantId": "00AF5367D3D0000A"
      },
      "timestamp": "2014-05-0511: 09: 20.000-0700",
      "visibility": "All",
      "type": "ParticipantJoined",
      "timestampSeconds": 1399313360000L
    },
    {
      "index": 3,
      "from": {
        "nickname": "test_supervisor",
        "type": "Agent",
        "uri": "http://10.10.15.212:9090/api/v2/users/991a4bece8dd4184a93e98ad429694f6",
        "visibility": "Agents",
        "participantId": "00AF5367D3D0000B"
      },
      "timestamp": "2014-05-0511: 09: 20.000-0700",
      "visibility": "Agents",
      "type": "ParticipantJoined",
      "timestampSeconds": 1399313360000L
    }
  ],
  "notificationType": "NewMessages",
  "messageType": "MessageLogUpdated",
  "chatUri": "http://10.10.15.212:9090/api/v2/chats/0001Da9PFC93000S"
}

```

Chat is completed

When no agents remain in a chat and the chat is completed or placed in a queue, the supervisor will receive StateChanged notification with chat state Revoked.

```
{
  "chat": {
    "receivedDate": "2014-05-0511:09:45.000-0700",
    "participants": [
      ],
    "capabilities": [
      ],
    "uri": "http://10.10.15.212:9090/api/v2/chats/0001Da9PFC93000S",
    "state": "Revoked",
    "id": "0001Da9PFC93000S"
  },
  "notificationType": "StatusChange",
  "messageType": "ChatStateChangeMessage"
}
```